

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [64005-0200](#)  
**Status:** **Active**  
**Description:** Crimp Head for the AT-200™ Pneumatic Hand Tool

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	T9999
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	Air Tool
Survey	<a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a>
Tool Type	Handtool
UPC	756054561331

**Material Info**


Old Part Number AT-1991

**Reference - Drawing Numbers**

Application Tooling Documents

ATS-640050200, TM-192790001, TM-192790001SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN  
640050199

Sales Drawing



*image - Reference only*

**EU RoHS** **China RoHS**

**Compliance Status**

**Not Reviewed**

**REACH SVHC**

**Not Reviewed**

**Low-Halogen Status**

**Not Reviewed**

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

T9999Series

**Use With**

Molex AT-200™ Hand-Held Pneumatic Tool  
19279-0001

<b>Application Tooling</b>	<b>FAQ</b>
<b>Description</b>	<b>Product #</b>

Avikrimp™ Quick Disconnect, Female, for 10-12 (5.00-3.30mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	0190020044
InsulKrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.81mm	0190170008
Avikrimp™ Quick Disconnect for 10-12 AWG Wire, Male, 6.35 x 0.81mm Tab	0190250005

Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.51mm	0190190001
Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	0190190006
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.51mm	0190190022
Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	0190190012
Avikrimp™ Quick Disconnect, Female, for 10-12 (5.00-3.30mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	0190190037
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	0190190027
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 5.21 x 0.81mm	0190190035
InsulKrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.51mm	0190170023
Quixon Quick Disconnect, InsulKrimp™ Style, Female, Partially Insulated Red, 18-22 AWG, Loose	0192740002
Quixon Quick Disconnect, InsulKrimp™ Style, Female, Partially Insulated Blue, 14-16 AWG, Loose	0192740005
Quixon Quick Disconnect, Avikrimp™ Style, Female, Partially	0192750002

Insulated Red, 18-22 AWG, Loose Quixon Quick	0192750005
Disconnect, Avikrimp™ Style, Female, Partially	
Insulated Blue, 14-16 AWG, Loose Quixon Quick	0192770008
Disconnect, Avikrimp™ Style, Female, Fully	
Insulated Yellow, 10-12 AWG, Loose InsulKrimp™	0190170001
Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.51mm	
InsulKrimp™	0190170005
Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.81mm	
Avikrimp™ Quick	0190190004
Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.81mm	
Avikrimp™ Fully	0196060005
Insulated Quick Disconnect, Female, for 10-12 AWG Wire, Box	
InsulKrimp™	0190170031
Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	
InsulKrimp™	0190170032
Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.81mm	
InsulKrimp™	0190170037
Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	
Avikrimp™ Quick	0190190008
Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.81mm	
Avikrimp™ Quick	0190190028
Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire,	

Box, Tab 4.75 x 0.81mm InsulKrimp™	0190170007
Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm InsulKrimp™	0190170014
Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm InsulKrimp™	0190170018
Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 5.21 x 0.51mm InsulKrimp™	0190170028
Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.81mm InsulKrimp™	0190170043
Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 5.21 x 0.51mm InsulKrimp™	0190170044
Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 5.21 x 0.81mm InsulKrimp™	0190170047
Quick Disconnect, Female, for 10-12 (5.00-3.30mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm Avikrimp™ Quick	0190190014
Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 5.21 x 0.51mm Avikrimp™ Quick	0190190015
Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 5.21 x 0.81mm Avikrimp™ Quick	0190190025
Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.81mm Avikrimp™ Quick	0190190034
Disconnect, Female, for 14-16	

(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 5.21 x  
0.51mm

This document was generated on 05/17/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**