

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [64007-1100](#)  
**Status:** **Active**  
**Description:** Crimp Head for the AT-200™ Pneumatic Hand Tool

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

**General**


Product Family	Application Tooling
Series	T9999
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	Air Tool
Survey	<a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a>
Tool Type	Handtool
UPC	822348563845

**Material Info**

Old Part Number AT-1751

**Reference - Drawing Numbers**

Application Tooling Documents	ATS-640071100, TM-192790001, TM-192790001SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN
Sales Drawing	640050199



<b>EU RoHS</b>	<b>China RoHS</b>
<b>Compliance Status</b>	
<b>Not Reviewed</b>	
<b>REACH SVHC</b>	
<b>Not Reviewed</b>	
<b>Low-Halogen Status</b>	
<b>Not Reviewed</b>	

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**  
[T9999Series](#)

**Use With**  
 Molex AT-200™ Hand-Held Pneumatic Tool  
[19279-0001](#)

<b>Application Tooling Description</b>	<b>FAQ Product #</b>
Krimptite™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	0190160039
Krimptite™ Quick Disconnect, Female Steel 900 Degree F/383 Degree C, 14-16 AWG, Tab 6.35mm	0192030390
Quixon Quick Disconnect, Krimptite™ Style,	0192730007

Female, Uninsulated,  
18-20 AWG, Loose  
Quixon Quick 0192730008  
Disconnect,  
Krimptite™ Style,  
Female, Uninsulated,  
14-16 AWG, Loose  
Krimptite™ Quick 0190160035  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.51mm  
Krimptite™ Quick 0190160037  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.81mm  
Krimptite™ Female 0190370010  
Bullet Receptacle for  
18-22 AWG Wire,  
3.96mm Diameter,  
Open Barrel, Metal  
Strip Carrier  
Krimptite™ Quick 0190160001  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.51mm  
Krimptite™ Quick 0190160003  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.81mm  
Krimptite™ Quick 0190160005  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.51mm  
Krimptite™ Quick 0190160006  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.81mm  
Krimptite™ Quick 0190160009  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 6.35 x  
0.81mm  
Krimptite™ Quick 0190160040  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.81mm  
Krimptite™ Quick 0190160111  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,

Box, Tab 6.35 x 0.81mm Krimptite™ Snap Plug Receptacle, for 18-22 AWG Wire, Box, 16.26mm Length	0190370002
Krimptite™ Snap Plug Receptacle, for 14-16 AWG Wire, Box, 16.26mm Length	0190370004
Krimptite™ Snap Plug Receptacle, for 14-16 AWG Wire, Box, 17.80mm Length	0190370006

This document was generated on 05/17/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**