

## Datasheet

# RS Pro Grey 20 A Grey Wall Switch Surface 5 mm Screwed Matte, 1 Gang BS Standard 86.5mm Not Illuminated IP20 Metalclad Steel

RS Stock No: **668-3660**



## Product Details


RS Pro 1-gang surface light switch in grey colour, is made from corrosion-resistant matte MetalClad steel for long life durability. This IP20 rated switch has a 20 A current rating and 5 mm faceplate depth. It measures 86.5 x 86.5 mm. The switch has screw termination type. It is suitable for industrial, commercial and workshop applications. The switch meets BS3676 standards.

## Features and Benefits



- Made from mild steel
- Suitable for industrial, commercial and workshop applications
- IP20 rated

**Specifications:**


Colour Shade	Grey
Colour	Grey
Current Rating	20 A
Faceplate Depth	5 mm
Faceplate Fixing	Screwed
Finish	Matte
Fixing Standard	BS Standard
Height	26.5 mm
Illumination	Not Illuminated
IP Rating	IP20
Length	86.5 mm
Material	Metalclad Steel
Minimum Box Depth	25 mm
Mount Type	Surface
Number of Gangs	1
Number of Poles	2
Number of Ways	1
Standards Met	BS3676; ASTA Approved
Switch Type	Rocker
Termination Type	Screw
Width	86.5 mm




8181MA 外觀圖




8184MA 成品外觀圖









1893SMA 外觀圖




2893NSMA 外觀圖





7183S/MA 成品圖



7183M/MA 成品圖

Part No.	L	W	H
8184/MA	86.5	86.5	26.5
1893S/MA	86.5	86.5	25.5
8181/2W/MA	86.5	86.5	23.0
2893S/MA	86.5	86.5	31.0
2893NS/MA	86.5	86.5	31.0
7183M/MA	86.5	86.5	21.0
7183S/MA	86.5	86.5	21.0
8102/MA	86.5	86.5	25.0
8103/MA	86.5	86.5	22.0