

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [69008-0250](#)
Status: **Active**
Description: Changehead for Parallel Action Handtool 690080949

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	69008
Comments	Prototype and field repair
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	QF-50™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800754356664

Physical

Net Weight 0.001/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-690080250](#)



image - Reference only

EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

69008Series

Use With

69008-0949

Application Tooling Description	FAQ Product #
--	----------------------

1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 10 Circuits	0906351102
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 10 Circuits	0906351103
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version,	0906351403

0.38μm Gold (Au), 40 Circuits 1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 20 Circuits	0906351202
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 10 Circuits	0906351101
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 14 Circuits	0906351141
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 14 Circuits	0906351142
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 14 Circuits	0906351143
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 16 Circuits	0906351161
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 16 Circuits	0906351162
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 16 Circuits	0906351163
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 20 Circuits	0906351201
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 20 Circuits	0906351203
1.27mm Pitch QF-50™, Single Beam, Vertical	0906351241

MIL/DIN Version, 0.10µm Gold (Au), 24 Circuits 1.27mm Pitch	0906351242
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.76µm Gold (Au), 24 Circuits 1.27mm Pitch	0906351243
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.38µm Gold (Au), 24 Circuits 1.27mm Pitch	0906351261
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.10µm Gold (Au), 26 Circuits 1.27mm Pitch	0906351262
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.76µm Gold (Au), 26 Circuits 1.27mm Pitch	0906351263
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.38µm Gold (Au), 26 Circuits 1.27mm Pitch	0906351301
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.10µm Gold (Au), 30 Circuits 1.27mm Pitch	0906351302
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.76µm Gold (Au), 30 Circuits 1.27mm Pitch	0906351303
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.38µm Gold (Au), 30 Circuits 1.27mm Pitch	0906351341
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.10µm Gold (Au), 34 Circuits 1.27mm Pitch	0906351342
QF-50™, Single Beam, Vertical	
MIL/DIN Version, 0.76µm Gold (Au), 34 Circuits 1.27mm Pitch	0906351343
QF-50™, Single	

Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 34 Circuits 1.27mm Pitch	0906351401
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 40 Circuits 1.27mm Pitch	0906351402
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 40 Circuits 1.27mm Pitch	0906351501
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 50 Circuits 1.27mm Pitch	0906351502
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 50 Circuits 1.27mm Pitch	0906351503
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 50 Circuits 1.27mm Pitch	0906351601
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 60 Circuits 1.27mm Pitch	0906351602
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 60 Circuits 1.27mm Pitch	0906351603
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 60 Circuits 1.27mm Pitch	0906351641
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 64 Circuits 1.27mm Pitch	0906351642
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 64 Circuits	

1.27mm Pitch 0906351643
QF-50™, Single
Beam, Vertical
MIL/DIN Version,
0.38μm Gold (Au),
64 Circuits

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION