

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [69008-1090](#)
Status: **Active**
Description: Handtool for Connectors, 4-26 Circuit

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0102
Comments	69008-1093 Insertion Blade
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	822348441877

Physical

Net Weight 0.001/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-690081090](#)



EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T0102Series](#)

Application Tooling | [FAQ](#)
Description **Product #**

1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option A	0903270304
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin (Sn) Plated, Reeling Option A	0903270306
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Tin	0903270308

(Sn) Plated, Reeling
Option A
1.27mm Pitch 0903270310
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 10
Circuits, White, Tin
(Sn) Plated, Reeling
Option A
1.27mm Pitch 0903270312
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 12
Circuits, White, Tin
(Sn) Plated, Reeling
Option A
1.27mm Pitch 0903270314
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Tin
(Sn) Plated, Reeling
Option A
1.27mm Pitch 0903270316
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 16
Circuits, White, Tin
(Sn) Plated, Reeling
Option A
1.27mm Pitch 0903270320
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 20
Circuits, White, Tin
(Sn) Plated, Reeling
Option A
1.27mm Pitch 0905841306
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 6
Circuits
1.27mm Pitch 0905841308
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 8
Circuits
1.27mm Pitch 0905841312
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 12
Circuits
1.27mm Pitch 0905841326
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 26
Circuits
1.27mm Pitch 0905841304
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 4
Circuits
1.27mm Pitch 0905841310
Picoflex® PF-50 IDT
Receptacle, Low

Profile, Board-In, 10
Circuits
1.27mm Pitch 0905841314
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 14
Circuits
1.27mm Pitch 0905841316
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 16
Circuits
1.27mm Pitch 0905841318
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 18
Circuits
1.27mm Pitch 0905841320
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 20
Circuits
1.27mm Pitch 0905841324
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 24
Circuits
1.27mm Pitch 0905841322
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Board-In, 22
Circuits
1.27mm Pitch 0915771304
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Alternative
Stagger, Board-In, 4
Circuits
1.27mm Pitch 0915771306
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Alternative
Stagger, Board-In, 6
Circuits
1.27mm Pitch 0915771308
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Alternative
Stagger, Board-In, 8
Circuits
1.27mm Pitch 0915771310
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Alternative
Stagger, Board-In,
10 Circuits
1.27mm Pitch 0915771312
Picoflex® PF-50 IDT
Receptacle, Low
Profile, Alternative
Stagger, Board-In,
12 Circuits
1.27mm Pitch 0915771314
Picoflex® PF-50 IDT
Receptacle, Low

Profile, Alternative Stagger, Board-In, 14 Circuits 1.27mm Pitch	0915771316
Picoflex® PF-50 IDT Receptacle, Low Profile, Alternative Stagger, Board-In, 16 Circuits 1.27mm Pitch	0915771318
Picoflex® PF-50 IDT Receptacle, Low Profile, Alternative Stagger, Board-In, 18 Circuits 1.27mm Pitch	0915771320
Picoflex® PF-50 IDT Receptacle, Low Profile, Alternative Stagger, Board-In, 20 Circuits 1.27mm Pitch	0915771322
Picoflex® PF-50 IDT Receptacle, Low Profile, Alternative Stagger, Board-In, 22 Circuits 1.27mm Pitch	0915771324
Picoflex® PF-50 IDT Receptacle, Low Profile, Alternative Stagger, Board-In, 24 Circuits 1.27mm Pitch	0915771326
Picoflex® PF-50, Low Profile, IDT Receptacle, 18 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270318
Picoflex® PF-50, Low Profile, IDT Receptacle, 22 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270322
Picoflex® PF-50, Low Profile, IDT Receptacle, 24 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270324
Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Tin	0903270326

(Sn) Plated, Reeling
Option A
1.27mm Pitch 0903273304
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 4
Circuits, White, Gold
(Au) Plated, Reeling
Option A
1.27mm Pitch 0903273306
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 6
Circuits, White, Gold
(Au) Plated, Reeling
Option A
1.27mm Pitch 0903273308
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 8
Circuits, White, Gold
(Au) Plated, Reeling
Option A
1.27mm Pitch 0903273310
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 10
Circuits, White, Gold
(Au) Plated, Reeling
Option A
1.27mm Pitch 0903273312
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 12
Circuits, White, Gold
(Au) Plated, Reeling
Option A
1.27mm Pitch 0903273314
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Gold
(Au) Plated, Reeling
Option A
1.27mm Pitch 0903273316
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 16
Circuits, White, Gold
(Au) Plated, Reeling
Option D
1.27mm Pitch 0903273318
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 18
Circuits, White, Gold
(Au) Plated, Reeling
Option A
1.27mm Pitch 0903273320
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 20
Circuits, White, Gold
(Au) Plated, Reeling
Option A

1.27mm Pitch	0903273322
Picoflex® PF-50, Low Profile, IDT Receptacle, 22 Circuits, White, Gold (Au) Plated, Reeling Option A	
1.27mm Pitch	0903273324
Picoflex® PF-50, Low Profile, IDT Receptacle, 24 Circuits, White, Gold (Au) Plated, Reeling Option A	
1.27mm Pitch	0903273326
Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Gold (Au) Plated, Reeling Option A	

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION