

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [69127-1001](#)
Status: **Active**
Description: Semi-Automatic Bench Press PB14 for 4-26 Circuit

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PB14
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Bench Press
UPC	800753561946

Physical

Net Weight 17000.000/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [TM-691271001](#)




image - Reference only

EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T9999Series](#)

Use With

[69127-5045 De-Tape](#), [69127-5043 \(110V\) De-Tape](#)

Application Tooling | **FAQ**
Description | **Product #**

1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 12 Circuits, White, Tin (Sn) Plated, Reeling Option A	0903270312
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option A	0903270304
1.27mm Pitch Picoflex® PF-50,	0903270314

Low Profile, IDT Receptacle, 14 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270386
Picoflex® PF-50, Low Profile, IDT Receptacle, 20 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D 1.27mm Pitch	0903270306
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270320
Picoflex® PF-50, Low Profile, IDT Receptacle, 20 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270318
Picoflex® PF-50, Low Profile, IDT Receptacle, 18 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270326
Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903273320
Picoflex® PF-50, Low Profile, IDT Receptacle, 20 Circuits, White, Gold (Au) Plated, Reeling Option A 1.27mm Pitch	0903270308
Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270310
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch	0903270316
Picoflex® PF-50, Low Profile, IDT	

Receptacle, 16
Circuits, White, Tin
(Sn) Plated, Reeling
Option A
1.27mm Pitch 0903270354
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 4
Circuits, White, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270360
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 8
Circuits, White, Tin
(Sn) Plated, Reeling
Option B
1.27mm Pitch 0903270362
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 8
Circuits, White, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270365
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 10
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option C
1.27mm Pitch 0903270372
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option B
1.27mm Pitch 0903270373
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option C
1.27mm Pitch 0903270390
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 26
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903273376
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 16
Circuits, White, Gold
(Au) Plated, Reeling
Option B

1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 12 Circuits, White, Gold (Au) Plated, Reeling Option B	0903273368
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 14 Circuits, White, Gold (Au) Plated, Reeling Option A	0903273371
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 14 Circuits, White, Gold (Au) Plated, Reeling Option B	0903273372
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 14 Circuits, White, Gold (Au) Plated, Reeling Option D	0903273374
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 18 Circuits, White, Gold (Au) Plated, Reeling Option B	0903273380
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 20 Circuits, White, Gold (Au) Plated, Reeling Option B	0903273384
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Gold (Au) Plated, Reeling Option B	0903273388
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Gold (Au) Plated, Reeling Option C	0903273389
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 24 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option C	0903270397

1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option A	0903270351
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 22 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option C	0903270393
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option A	0903270387
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	0903270388
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option C	0903270389
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 22 Circuits, White, Tin (Sn) Plated, Reeling Option A	0903270322
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 24 Circuits, White, Tin (Sn) Plated, Reeling Option A	0903270324
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option B	0903270352
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin	0903270353

(Sn) Plated, Reeling Option C 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin	0903270355
(Sn) Plated, Reeling Option A 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin	0903270356
(Sn) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin	0903270357
(Sn) Plated, Reeling Option C 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin	0903270358
(Sn) Plated, Reeling Option D 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Tin	0903270359
(Sn) Plated, Reeling Option A 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Tin	0903270361
(Sn) Plated, Reeling Option C 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin	0903270363
(Sn) Plated, Tin (Sn) Plated, Reeling Option A 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin	0903270364
(Sn) Plated, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin	0903270366

(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270367
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 12
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option A
1.27mm Pitch 0903270368
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 12
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option B
1.27mm Pitch 0903270369
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 12
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option C

This document was generated on 04/29/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION