

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [69127-1004](#)
Status: **Active**
Description: Semi-Automatic PB14 Bench Press with Auto De-reeling

Documents:
[Drawing \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PB14
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Bench Press
UPC	800754354202

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-691271004
Sales Drawing	691271004, 691271004PL, 691275045, 691275045PL



image - Reference only

EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T9999Series

Application Tooling Description	FAQ Product #
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 20 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270386
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option D	0903270354
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Tin	0903270360

(Au) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Gold	0903273388
(Au) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Tin	0903270388
(Sn) Plated, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin	0903270352
(Sn) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin	0903270356
(Sn) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin	0903270358
(Sn) Plated, Reeling Option D 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin	0903270364
(Sn) Plated, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin	0903270366
(Sn) Plated, Tin (Sn) Plated, Reeling Option D 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 12 Circuits, White, Tin	0903270368
(Sn) Plated, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT	0903270370

Receptacle, 12
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270374
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270376
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 16
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option B
1.27mm Pitch 0903270378
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 16
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270380
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 18
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option B
1.27mm Pitch 0903270382
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 18
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270384
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 20
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option B
1.27mm Pitch 0903273352
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 4
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273354
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 4
Circuits, White, Gold

(Au) Plated, Reeling Option D 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Gold	0903273356
(Au) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Gold	0903273358
(Au) Plated, Reeling Option D 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Gold	0903273360
(Au) Plated, Reeling Option B 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Gold	0903273362
(Au) Plated, Reeling Option D 1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Gold	0903273364

This document was generated on 04/29/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION