

6EJT1F ✓ ACTIVE

Corcom | Corcom EJT


TE Internal #: 4-1609157-2

Multi-Function Inlet Filters, Power Line, Vertical, 6A Current Rating, .250" FASTON Output, Operating Voltage 250 VAC, Filtered, Corcom EJT

[View on TE.com >](#)



EMI & EMC Solutions > EMI Filters > Multi-Function Inlet Filters > IEC Filtered Inlets, Corcom EJT Series



Filter Type: **Power Line**

Product Orientation: **Vertical**

Leakage Current (Max) (120VAC, 60Hz): **250 μ A**

Current Rating: **6 A**

Output Termination Type: **.250" FASTON**

[All IEC Filtered Inlets, Corcom EJT Series \(20\)](#)

Features

Product Type Features

Ground Choke Option	No
Filter Type	Power Line
Output Termination Type	.250" FASTON
Filtering Requirements	Filtered
Filter Connector Type	IEC 60320-1 C-14

Electrical Characteristics

Leakage Current (Max) (120VAC, 60Hz)	250 μ A
Current Rating	6 A
Operating Voltage	250 VAC

Body Features

Product Orientation	Vertical
---------------------	----------

Mechanical Attachment

Panel Mount Feature Type

Extended Flange

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
Candidate List Declared Against: JAN 2024 (240)
Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





Also in the Series | [Corcom EJT](#)



Multi-Function Inlet Filters(20)

Customers Also Bought

TE Part #2-6609128-8
6VM1S=F8096TE Part #2-320565-1
TERMINAL,PIDG R 16-14 8TE Part #58628-1
PROCrimp T&D 26-14 ULTRAFastTE Part #49935
DAHT SOLIS 22-10 ASSYTE Part #184269-1
SOLISTRAND 16-14HD 90 RING 8TE Part #2217655-1
CCII EPII LANCELESS STD 22-18 ASSYTE Part #2-1879449-8
TE 400W 180R 5% BracketTE Part #2388444-1
Conn Kit,Rcpt,Full-Width,3-MT,2x,V66.5-D

Documents

CAD Files

Customer View Model

[ENG_CVM_CVM_4-1609157-2_B1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1609157-2_B1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1609157-2_B1.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654001_CORCOM_PRODUCT_GUIDE](#)

English

6EJT1F

Multi-Function Inlet Filters, Power Line, Vertical, 6A Current Rating, .250" FASTON Output, Operating Voltage 250 VAC, Filtered, Corcom EJT



[Corcom EJT Flanged Inlet Filter](#)

English

[Corcom Combined Selector Charts](#)

English