


Actuator

704.064.2



<https://eao.com/p/704.064.2>

Your product:



704.064.2 Actuator

FRONT

Front dimension: Ø 37 mm

MOUNTING

Design: raised

OPERATING-/INDICATION PART

Lens material: Plastic

Lens optics: opaque

Lens colour: Red

Lens illumination: non illuminative

Lens shape: mushroom-head

ELECTRICAL CHARACTERISTICS

Standards: The switches comply with the “Standards for low-voltage switching devices” DIN EN 60947-1

MECHANICAL CHARACTERISTIC

Weight: 0.055 kg

Operating Travel: ca. 5.8 mm ± 0.2 mm

Mechanical lifetime: ≤50 000 cycles of operation

Switching action: Maintained

Operating force: 8 N

AMBIENT CONDITION

Storage temperature: – 40 °C ... + 85 °C

Operating temperature: – 40 °C ... + 55 °C

IP Protection: IP65 front side

OTHER

Marking: Arrows

Short Description: Actuator, Ø 37 mm, mushroom-head, non illuminative, Red, Plastic, opaque, Maintained


Housing colour: Yellow

Housing material: Plastic


max. number of switching elements: 2

Hints: Shaft yellow

Mounting cut-outs:



Wiring diagrams:



Dimension drawings:

