

Actuator

704.206.5



<https://eao.com/p/704.206.5>

Your product:



704.206.5 Actuator

FRONT

Front form:	square
Front dimension:	30 mm x 30 mm
Front bezel material:	Plastic
Front bezel colour:	Black

MOUNTING

Design:	raised
----------------	--------

OPERATING-/INDICATION PART

Marking plate illumination:	illuminative
Marking plate optics:	translucent
Lens colour:	Green
Marking plate colour:	White
Lens optics:	transparent
Lens shape:	flush
Lens material:	Plastic

ELECTRICAL CHARACTERISTICS

Standards:	The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1
-------------------	---

MECHANICAL CHARACTERISTIC

Weight:	0.05 kg
----------------	---------

Terminal: Screw terminal

AMBIENT CONDITION

Storage temperature: - 40 °C ... + 85 °C

Operating temperature: - 40 °C ... + 55 °C

IP Protection: IP65 front side

OTHER


Hints: Filament lamp or LED

Housing material: Plastic


Short Description: Actuator, 30 mm x 30 mm, flush, Green, Plastic, transparent, square, Black, Plastic, Screw terminal

Housing colour: Black

Wiring diagrams:



Mounting cut-outs:



Dimension drawings:

