



Part Number : [1300950178](#)

Product Description : Medium Duty Wire Mesh Pulling Grip, Single/Double Weave, Bale Eye, Short Mesh Length 0.61m (24.00"), Cable Range 63.50-75.90mm (2.500-2.990"), Approximate Break Strength 11113.01kg (24500 lbs)

Series Number : 130095

Status : Active

Product Category : Cable Grips

Engineering Number : 35946



Documents & Resources

Drawings

[1300950178_sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--------------|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Status | Active |
| Category | Cable Grips |
| Series | 130095 |
| Description | Medium Duty Wire Mesh Pulling Grip, Single/Double Weave, Bale Eye, Short Mesh Length 0.61m (24.00"), Cable Range 63.50-75.90mm (2.500-2.990"), Approximate Break Strength 11113.01kg (24500 lbs) |
| Comments | Cable Eye Thickness 1/2" |
| Product Name | Medium Duty |
| Type | Pulling Grip |
| UPC | 78678835946 |

Agency

| | |
|-----|---------|
| CSA | LR32159 |
|-----|---------|

Physical

| | |
|----------------------------|------------------------------|
| Approximate Break Strength | 11113.01kg (24500 lbs) |
| Bale Length | N/A |
| Body Style | Straight |
| Cable Diameter | 63.50-75.95mm (2.500-2.990") |
| Color - Grommet | N/A |
| Eye Type | Flexible |
| Gender | N/A |
| Material - Body | N/A |
| Material - Grip | Galvanized Steel |
| Mesh Length | 0.61m (24.00") |
| Number of Holes | N/A |
| O-Ring | N/A |
| Thread Size | N/A |

This document was generated on Feb 13, 2025