





NOTE:
1. MATERIAL:
HOUSING: PA46 GLASS FILLED, UL94V-0, COLOR: NATURAL
TERMINAL: COPPER ALLOY
2. PLATING: 1) 0.10 μ m MIN. GOLD PLATING OVER NICKEL PLATING OVERALL
2) 1-3 μ m TIN-BISMUTH OVER NICKEL PLATING OVERALL
3. PRODUCT SPECIFICATION: PS-78119-001
4. PRODUCT ARE PACKED IN TAPE & REEL.

REVISED EC NO: S2007-0721 DRWN:BOKOK CHKD:CGOH APPR:KCLING A2	DESCRIPTION 2007/03/05 2007/03/05 2007/03/05	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY YLQIAO	DATE 2006/04/11	TITLE 0.50MM PITCH, FPC CONN. NON-ZIF, SMT				
			4 PLACES	± ---	± ---	CHECKED BY	DATE					
			3 PLACES	± ---	± ---	BOKOK	2006/04/18					
			2 PLACES	± 0.15	± ---	APPROVED BY	DATE	MOLEX MOLEX INCORPORATED				
			1 PLACE	± ---	± ---	PTL IM	2006/04/18					
						ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		SD-78119-001		1 OF 7			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												



A

ASSY P/N W/O PACKAGING	CKT	DIM A	DIM B	DIM C	DIM D	PLATING TYPE
78119-0318	31	17.60	15.00	16.90	16.10	1
78119-0328	32	18.10	15.50	17.40	16.60	
78119-0338	33	18.60	16.00	17.90	17.10	
78119-0348	34	19.10	16.50	18.40	17.60	
78119-0358	35	19.60	17.00	18.90	18.10	
78119-0368	36	20.10	17.50	19.40	18.60	
78119-0378	37	20.60	18.00	19.90	19.10	
78119-0388	38	21.10	18.50	20.40	19.60	
78119-0398	39	21.60	19.00	20.90	20.10	
78119-0408	40	22.10	19.50	21.40	20.60	
78119-0418	41	22.60	20.00	21.90	21.10	
78119-0428	42	23.10	20.50	22.40	21.60	


tb_frame_A3_P_AM_T
Rev. E 2006/04/15

ASSY P/N W/O PACKAGING	CKT	DIM A	DIM B	DIM C	DIM D	PLATING TYPE
78119-0069	6	5.10	2.50	4.40	3.60	2
78119-0079	7	5.60	3.00	4.90	4.10	
78119-0089	8	6.10	3.50	5.40	4.60	
78119-0099	9	6.60	4.00	5.90	5.10	
78119-0109	10	7.10	4.50	6.40	5.60	
78119-0119	11	7.60	5.00	6.90	6.10	
78119-0129	12	8.10	5.50	7.40	6.60	
78119-0139	13	8.60	6.00	7.90	7.10	
78119-0149	14	9.10	6.50	8.40	7.60	
78119-0159	15	9.60	7.00	8.90	8.10	
78119-0169	16	10.10	7.50	9.40	8.60	
78119-0179	17	10.60	8.00	9.90	9.10	
78119-0189	18	11.10	8.50	10.40	9.60	
78119-0199	19	11.60	9.00	10.90	10.10	
78119-0209	20	12.10	9.50	11.40	10.60	
78119-0219	21	12.60	10.00	11.90	11.10	
78119-0229	22	13.10	10.50	12.40	11.60	
78119-0239	23	13.60	11.00	12.90	12.10	
78119-0249	24	14.10	11.50	13.40	12.60	
78119-0259	25	14.60	12.00	13.90	13.10	
78119-0269	26	15.10	12.50	14.40	13.60	
78119-0279	27	15.60	13.00	14.90	14.10	
78119-0289	28	16.10	13.50	15.40	14.60	
78119-0299	29	16.60	14.00	15.90	15.10	
78119-0309	30	17.10	14.50	16.40	15.60	


ASSY P/N W/O PACKAGING	CKT	DIM A	DIM B	DIM C	DIM D	PLATING TYPE
78119-0319	31	17.60	15.00	16.90	16.10	2
78119-0329	32	18.10	15.50	17.40	16.60	
78119-0339	33	18.60	16.00	17.90	17.10	
78119-0349	34	19.10	16.50	18.40	17.60	
78119-0359	35	19.60	17.00	18.90	18.10	
78119-0369	36	20.10	17.50	19.40	18.60	
78119-0379	37	20.60	18.00	19.90	19.10	
78119-0389	38	21.10	18.50	20.40	19.60	
78119-0399	39	21.60	19.00	20.90	20.10	
78119-0409	40	22.10	19.50	21.40	20.60	
78119-0419	41	22.60	20.00	21.90	21.10	
78119-0429	42	23.10	20.50	22.40	21.60	

REVISED EC NO: S2007-0721 DRAWN:BOKOK CHKD:GGH APPR:KCLING A2	2007/03/05 2007/03/05 2007/03/05	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
					mm	INCH	DRAWN BY YLOIAO	DATE 2006/04/11	TITLE 0.50MM PITCH, FPC CONN. NON-ZIF, SMT		
				4 PLACES ± ---	± ---	CHECKED BY BOKOK	DATE 2006/04/18				
				3 PLACES ± ---	± ---	APPROVED BY PTL IM	DATE 2006/04/18	MOLEX MOLEX INCORPORATED			
				2 PLACES ± 0.15	± ---	MATERIAL NO.	DOCUMENT NO.			SHEET NO.	
				1 PLACE ± ---	± ---	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-78119-001		4 OF 7			

EMBOSSED TYPE A





CUSTOMER
PULL OUT DIRECTION



REEL

NOTES:


1. LEADER AND TRAILER TAPE

2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)


3. PACKAGING STANDARD IS AS PER EIA-481.

4. TAPE & REEL QUANTITY = 1000 PCS/REEL


EMBOSSED TYPE B



SECTION Y-Y



DETAIL 1



SECTION Z-Z

REVISED EC NO: S2007-0721 DRWN:BOKOK CHKD:CGOH APPR:KCLING A2	2007/03/05	2007/03/05	2007/03/05	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	▽=0		mm		INCH		DRAWN BY YLQIAO		DATE 2006/04/11		TITLE 0.50MM PITCH, FPC CONN. NON-ZIF, SMT		
	▽=0		4 PLACES ± ---		± ---		CHECKED BY BOKOK		DATE 2006/04/18				
	▽=0		3 PLACES ± ---		± ---		APPROVED BY PTL IM		DATE 2006/04/18				
	▽=0		2 PLACES ± 0.15		± ---		MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-78119-001		SHEET NO. 5 OF 7		
▽=0		1 PLACE ± ---		± ---		ANGULAR ± 3 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MOLEX MOLEX INCORPORATED			

	10	9	8	7	6	5	4	3	2	1																																																							
F	GOLD PLATING TERMINAL ASSEMBLY PART NUMBERS										F																																																						
E	ASSY P/N PACKED IN T&R	ASSY P/N W/O PACKAGING	CKT	W	So	F	Bo	B	EMBOSSED TYPE	ASSY P/N PACKED IN T&R	ASSY P/N W/O PACKAGING	CKT	W	So	F	Bo	B	EMBOSSED TYPE	B																																														
	78119-1068	78119-0068	6	24.00	-	11.50	5.40	3.10	A	78119-1318	78119-0318	31	32.00	28.40	14.20	17.90	15.60																																																
	78119-1078	78119-0078	7	24.00	-	11.50	5.90	3.60		78119-1328	78119-0328	32	32.00	28.40	14.20	18.40	16.10																																																
	78119-1088	78119-0088	8	24.00	-	11.50	6.40	4.10		78119-1338	78119-0338	33	32.00	28.40	14.20	18.90	16.60																																																
	78119-1098	78119-0098	9	24.00	-	11.50	6.90	4.60		78119-1348	78119-0348	34	32.00	28.40	14.20	19.40	17.10																																																
	78119-1108	78119-0108	10	24.00	-	11.50	7.40	5.10		78119-1358	78119-0358	35	32.00	28.40	14.20	19.90	17.60																																																
	78119-1118	78119-0118	11	24.00	-	11.50	7.90	5.60		78119-1368	78119-0368	36	32.00	28.40	14.20	20.40	18.10																																																
	78119-1128	78119-0128	12	24.00	-	11.50	8.40	6.10		78119-1378	78119-0378	37	32.00	28.40	14.20	20.90	18.60																																																
	78119-1138	78119-0138	13	24.00	-	11.50	8.90	6.60		78119-1388	78119-0388	38	32.00	28.40	14.20	21.40	19.10																																																
	78119-1148	78119-0148	14	24.00	-	11.50	9.40	7.10		78119-1398	78119-0398	39	44.00	40.40	20.20	21.90	19.60																																																
D	78119-1158	78119-0158	15	24.00	-	11.50	9.90	7.60		B	78119-1408	78119-0408	40	44.00	40.40	20.20	22.40		20.10																																														
	78119-1168	78119-0168	16	24.00	-	11.50	10.40	8.10	78119-1418		78119-0418	41	44.00	40.40	20.20	22.90	20.60																																																
	78119-1178	78119-0178	17	24.00	-	11.50	10.90	8.60	78119-1428		78119-0428	42	44.00	40.40	20.20	23.40	21.10																																																
	78119-1188	78119-0188	18	24.00	-	11.50	11.40	9.10																																																									
	78119-1198	78119-0198	19	24.00	-	11.50	11.90	9.60																																																									
	78119-1208	78119-0208	20	24.00	-	11.50	12.40	10.10																																																									
	78119-1218	78119-0218	21	32.00	28.40	14.20	12.90	10.60																																																									
	78119-1228	78119-0228	22	32.00	28.40	14.20	13.40	11.10																																																									
	78119-1238	78119-0238	23	32.00	28.40	14.20	13.90	11.60																																																									
	78119-1248	78119-0248	24	32.00	28.40	14.20	14.40	12.10																																																									
C	78119-1258	78119-0258	25	32.00	28.40	14.20	14.90	12.60	B																																																								
	78119-1268	78119-0268	26	32.00	28.40	14.20	15.40	13.10																																																									
	78119-1278	78119-0278	27	32.00	28.40	14.20	15.90	13.60																																																									
	78119-1288	78119-0288	28	32.00	28.40	14.20	16.40	14.10																																																									
	78119-1298	78119-0298	29	32.00	28.40	14.20	16.90	14.60																																																									
	78119-1308	78119-0308	30	32.00	28.40	14.20	17.40	15.10																																																									
B																																																																	
A																																																																	
REVISED EC NO: S2007-0721 DRAWN:BOKOK CHKD:CGOH APPR:KCLING A2 2007/03/05 2007/03/05 2007/03/05 DESCRIPTION REV											QUALITY SYMBOLS ▽=0 ▽=0											GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.15 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											DIMENSION STYLE MM ONLY DRAWN BY YLQIAO DATE 2006/04/11 CHECKED BY BOKOK DATE 2006/04/18 APPROVED BY PTLIM DATE 2006/04/18 MATERIAL NO. SIZE A3											SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION 0.50MM PITCH, FPC CONN. NON-ZIF, SMT MOLEX MOLEX INCORPORATED DOCUMENT NO. SD-78119-001 SHEET NO. 6 OF 7											THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
tb_frame_A3_P_AM_T Rev. E 2006/04/15	9	8	7	6	5	4	3	2	1																																																								

REVISED
EC NO: S2007-0721
DRWN:BOKOK
CHKD:CGOH
APPR:KCLING
2007/03/05
2007/03/05
2007/03/05

DESCRIPTION
REV

QUALITY
SYMBOLS
▽=0
▽C=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)
mmINCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± 0.15 ± ---
1 PLACE ± --- ± ---
ANGULAR ± 3 °
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY
DRAWN BY
YLQIAO
DATE
2006/04/11
CHECKED BY
BOKOK
DATE
2006/04/18
APPROVED BY
PTL IM
DATE
2006/04/18
MATERIAL NO.
SIZE
A3

SCALE
NTS

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

0.50MM PITCH, FPC CONN.
NON-ZIF, SMT

MOLEX INCORPORATED

SD-78119-001

SHEET NO.
6 OF 7

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

	10	9	8	7	6	5	4	3	2	1															
F	TIN-BISMUTH PLATING TERMINAL ASSEMBLY PART NUMBERS										F														
E	ASSY P/N PACKED IN T&R	ASSY P/N W/O PACKAGING	CKT	W	So	F	Bo	B	EMBOSSED TYPE	ASSY P/N PACKED IN T&R	ASSY P/N W/O PACKAGING	CKT	W	So	F	Bo	B	EMBOSSED TYPE	B						
	78119-1069	78119-0069	6	24.00	-	11.50	5.40	3.10	A	78119-1319	78119-0319	31	32.00	28.40	14.20	17.90	15.60								
	78119-1079	78119-0079	7	24.00	-	11.50	5.90	3.60		78119-1329	78119-0329	32	32.00	28.40	14.20	18.40	16.10								
	78119-1089	78119-0089	8	24.00	-	11.50	6.40	4.10		78119-1339	78119-0339	33	32.00	28.40	14.20	18.90	16.60								
	78119-1099	78119-0099	9	24.00	-	11.50	6.90	4.60		78119-1349	78119-0349	34	32.00	28.40	14.20	19.40	17.10								
	78119-1109	78119-0109	10	24.00	-	11.50	7.40	5.10		78119-1359	78119-0359	35	32.00	28.40	14.20	19.90	17.60								
	78119-1119	78119-0119	11	24.00	-	11.50	7.90	5.60		78119-1369	78119-0369	36	32.00	28.40	14.20	20.40	18.10								
	78119-1129	78119-0129	12	24.00	-	11.50	8.40	6.10		78119-1379	78119-0379	37	32.00	28.40	14.20	20.90	18.60								
	78119-1139	78119-0139	13	24.00	-	11.50	8.90	6.60		78119-1389	78119-0389	38	32.00	28.40	14.20	21.40	19.10								
	78119-1149	78119-0149	14	24.00	-	11.50	9.40	7.10		78119-1399	78119-0399	39	44.00	40.40	20.20	21.90	19.60								
D	78119-1159	78119-0159	15	24.00	-	11.50	9.90	7.60		B	78119-1409	78119-0409	40	44.00	40.40	20.20	22.40		20.10						
	78119-1169	78119-0169	16	24.00	-	11.50	10.40	8.10	78119-1419		78119-0419	41	44.00	40.40	20.20	22.90	20.60								
	78119-1179	78119-0179	17	24.00	-	11.50	10.90	8.60	78119-1429		78119-0429	42	44.00	40.40	20.20	23.40	21.10								
	78119-1189	78119-0189	18	24.00	-	11.50	11.40	9.10																	
	78119-1199	78119-0199	19	24.00	-	11.50	11.90	9.60																	
	78119-1209	78119-0209	20	24.00	-	11.50	12.40	10.10																	
	78119-1219	78119-0219	21	32.00	28.40	14.20	12.90	10.60																	
	78119-1229	78119-0229	22	32.00	28.40	14.20	13.40	11.10																	
	78119-1239	78119-0239	23	32.00	28.40	14.20	13.90	11.60																	
	78119-1249	78119-0249	24	32.00	28.40	14.20	14.40	12.10																	
C	78119-1259	78119-0259	25	32.00	28.40	14.20	14.90	12.60	B																
	78119-1269	78119-0269	26	32.00	28.40	14.20	15.40	13.10																	
	78119-1279	78119-0279	27	32.00	28.40	14.20	15.90	13.60																	
	78119-1289	78119-0289	28	32.00	28.40	14.20	16.40	14.10																	
	78119-1299	78119-0299	29	32.00	28.40	14.20	16.90	14.60																	
	78119-1309	78119-0309	30	32.00	28.40	14.20	17.40	15.10																	
B																			B						
A																				A					
REVISED EC NO: S2007-0721 DRAWN:BOKOK 2007/03/05 CHKD:CGOH 2007/03/05 APPR:KCLING 2007/03/05 A2											DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.15 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2006/04/11 CHECKED BY DATE BOKOK 2006/04/18 APPROVED BY DATE PTLIM 2006/04/18 MATERIAL NO. SIZE A3		SCALE NTS TITLE 0.50MM PITCH, FPC CONN. NON-ZIF, SMT molex MOLEX INCORPORATED DOCUMENT NO. SD-78119-001		DESIGN UNITS METRIC THIRD ANGLE PROJECTION		SHEET NO. 7 OF 7		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
tb_frame_A3_P_AM_T Rev. E 2006/04/15											9	8	7	6	5	4	3	2	1						

REVISED
EC NO: S2007-0721
DRWN:BOKOK
CHKD:CGOH
APPR:KCLING
2007/03/05
2007/03/05
2007/03/05

DESCRIPTION
REV

QUALITY
SYMBOLS
▽=0
▽C=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)
mmINCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± 0.15 ± ---
1 PLACE ± --- ± ---
ANGULAR ± 3 °
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY
DRAWN BY
YLQIAO
DATE
2006/04/11
CHECKED BY
BOKOK
DATE
2006/04/18
APPROVED BY
PTL IM
DATE
2006/04/18
MATERIAL NO.
SIZE
A3

SCALE
NTS

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

0.50MM PITCH, FPC CONN.
NON-ZIF, SMT

MOLEX INCORPORATED

SD-78119-001

SHEET NO.
7 OF 7

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

tb_frame_A3_P_AM_T
Rev. E 2006/04/15