


Data Sheet | Item Number: 821-104
TOPJOB® S subdistribution board set; with operating slots

<https://www.wago.com/821-104>















- Suitable for a sub-distribution board equipped with a residual current breaker (RCB); includes all required components for wiring supply terminal blocks, as well as connecting 9 AC circuits and 1 three-phase circuits.
- Distribution of ground fault potentials via one 10 x 3 mm N-busbar. Separation of N-potentials for insulation resistance measurement via N-disconnect slide links within the multilevel installation terminal block.
 Contains:






- 10 x multilevel installation terminal block; NT/L/PE; 4 mm² (2003-7641)
- 1 x multilevel installation terminal block; L/L; 4 mm² (2003-7642)
- 1 x end and intermediate plate (2003-7692)
- 3 x 2-conductor supply terminal block for distribution boxes; gray; 16 mm² (2016-7601)
- 1 x 2-conductor supply terminal block for distribution boxes; blue; 16 mm² (2016-7604)
- 1 x 2-conductor ground terminal block; green-yellow; 16 mm² (2016-7607)
- 1 x end and intermediate plate (2016-7692)
- 1 x 1-conductor N-disconnect terminal block; blue; 16 mm² (2016-7714)
- 1 x end and intermediate plate (2016-7792)
- 1 x screwless end stop; 10 mm wide (249-117)
- 1 x busbar carrier; with end stop function (2009-305)
- 1 x busbar; tin-plated; 0.2 m (210-133)
- 1 x cover for busbar; transparent; 0.2 m (777-303)
- 1 x marking strip; white; 0.5 m (2009-110)
- 1 x WMB marker card; 1 ... 50 (793-5566)
- 1 x WMB marker card; L1, L2, L3, N, PE (793-5472)
- 1 x felt-tip pen (210-110)

Assembly width incl. end stop: 14.95 cm

This item includes:

 Item No.: 210-110 Fiber-tip pen	1	 Item No.: 249-117 Screwless end stop; 10 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray	1	 Item No.: 777-303 N-busbar cover; 1000 mm long; transparent	1	 Item No.: 793-5472 WMB marking card; as card; MARKED; L1, L2, L3, N, PE, L1, L2, L3, N, PE (10x); stretchable 5 - 5.2 mm; Horizontal marking; snap-on type; white	1
 Item No.: 793-5566 WMB marking card; as card; MARKED; 1 ... 50 (2x); stretchable 5 - 5.2 mm; Horizontal marking; snap-on type; white	1	 Item No.: 2003-7641 Multilevel installation terminal block; with operating slots; 2.5 mm ² ; with N-disconnect slide link; NT/L/PE; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	1	 Item No.: 2003-7642 Multilevel installation terminal block; with operating slots; 2.5 mm ² ; L/L; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	1	 Item No.: 2003-7692 End and intermediate plate; 0.8 mm thick; orange	1
 Item No.: 2009-110		 Item No.: 2009-305	1	 Item No.: 2016-7601	3	 Item No.: 2016-7604	1

This item includes:

Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white 	Busbar carrier; with end stop function and detachable separator plate; for DIN 35 rail; 7.5 mm thick; blue 	2-conductor supply terminal blocks for distribution boxes; 16 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; gray 	2-conductor supply terminal blocks for distribution boxes; 16 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; blue 
Item No.: 2016-7607 1 2-conductor ground terminal block; 16 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; green-yellow 	Item No.: 2016-7692 1 End and intermediate plate; 1 mm thick; orange	Item No.: 2016-7714 1 1-conductor N-disconnect terminal block; 16 mm ² ; Push-in CAGE CLAMP®; 16,00 mm ² ; blue	Item No.: 2016-7792 1 End and intermediate plate; 1 mm thick; orange
Item No.: 210-133 Busbar; tin-plated; 1000 mm long; Cu 10 mm x 3 mm; white			

Material data

Note (material data)	Information on material specifications can be found here
Fire load	5.718 MJ
Weight	471.6 g

Commercial data

eCl@ss 10.0	27-14-11-25
eCl@ss 9.0	27-14-11-25
ETIM 8.0	EC001329
ETIM 7.0	EC001329
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	QU
GTIN	4045454229849
Customs tariff number	80808080888

Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant, No Exemption
SCIP notification number (Austria)	bc882d7b-ac61-4b46-b99c-829d547fa505
SCIP notification number (Belgium)	7ec3c175-1d2f-472f-81e7-a101906d8d57
SCIP notification number (Bulgaria)	fbe536b6-6568-411f-82fc-38a4a25a448a
SCIP notification number (Czech Republic)	fc8528e6-5f78-4109-8b87-14610b31a981
SCIP notification number (Denmark)	8649d735-6cd7-4283-9655-141be91fbfb7
SCIP notification number (Finland)	7b508e19-91f9-45a3-ad15-1282671e428a
SCIP notification number (France)	a5feb95a-7878-45a5-ab4e-a867ccbbe2d
SCIP notification number (Germany)	22b43ade-bda8-4d29-a400-c6082db5eea8
SCIP notification number (Hungary)	2662382f-b294-4857-96fc-28181977f6dd
SCIP notification number (Italy)	c1a8810a-6da5-4c97-b0bd-8eb6c17f6a51
SCIP notification number (Netherlands)	7174182f-3cdc-4a56-bd5a-2e43f3e27ae0
SCIP notification number (Poland)	212dc73b-0404-45b4-aca1-aa033cbfd16d
SCIP notification number (Romania)	2ed1cdde-2b54-4ff6-b4ea-b8bb8e0c0bff
SCIP notification number (Sweden)	d4526d85-e882-468e-a387-0cc4e414feb0

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 821-104



Documentation

Additional Information

Technical Section

pdf
2246.92 KB



Bid Text

ausschreiben.de
821-104



CAD/CAE-Data

CAE data

WSCAD Universe
821-104

