



The worldwide leader in thermal management solutions

[News](#) [About Us](#) [Contact Us](#) [Global Manufacturing](#) [Shop Aavid](#)

[Products](#)

[Solutions](#)

[Industries](#)

Search Aavid

[Register or Sign Into Your Account](#)

[Cart](#)

[Knowledge Center](#)

[Design Help](#)

### Need assistance?

Call us: 1-855-32-AAVID  
Email: [estore@aavid.com](mailto:estore@aavid.com)

[» Help Page](#)

### Check Distributor Stock

Enter a part number for pricing and availability.

- [>Request a Sample](#)
- [>Request a Quote](#)
- [>Ask an Engineer](#)



### The Fine Print

- [Product Return Policy](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)

## Stanchion Pads

**8923-1G, 8923-2G, 8924G RoHS Compliant!**

- Reduces stress on leads during wave solder and post-soldering operations
- Provides stable mount to resist shock and vibration damage to leads
- 8923-1G, 8923-2G, and 8924G fit the TO-220



Model	RoHS	PCN	A Dim	B Dim	C Dim
8923-1G	RoHS <b>Compliant</b>	<b>Product Change Notice</b>	2.54 (0.100)	20.32 + 0.00 /- 0.25 (0.800 + 0.00 /- 0.010)	8.00 (0.315)
8923-2G	RoHS <b>Compliant</b>	<b>Product Change Notice</b>	1.27 (0.050)	19.05 + 0.00 /- 0.25 (0.750 + 0.00 /- 0.010)	8.00 (0.315)
8924G	RoHS <b>Compliant</b>	<b>Product Change Notice</b>	1.27 (0.050)	19.05 (0.750)	7.87 (0.310)

Note: Tolerances +/- 0.25mm (0.010") unless otherwise specified.  
Material is nylon 6/6 rated 94 V-O

## Customer Assistance

- [Contact Us](#)
- [Get Design Assistance](#)
- [Find a Distributor](#)
- [Find a Sales Rep](#)
- [Request a Quote](#)
- [Placing an Order](#)
- [Terms and Conditions](#)
- [Returns](#)

## Popular Products

- [Fans](#)
- [Extrusions](#)
- [Board Level](#)
- [Liquid Cooling](#)
- [Heat Pipe Technology](#)
- [Heat Sink Accessories](#)
- [Interface Materials](#)

## Our Company

- [News and Events](#)
- [Management Team](#)
- [Worldwide Locations](#)
- [Directions to Headquarters](#)
- [Disclaimer](#)
- [Customer Survey](#)
- [Privacy Policy](#)

## Connect with Aavid

Sign up for Aavid News & Alerts

Like / Follow / Connect



© Copyright 2015 Aavid Thermalloy, LLC.

USA: 1.855.32.AAVID Europe: 39.051.764002 Asia: 86.21.6115.2000 x 8122