

HTF 63**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Crimping tools for flat blade connectors and flat blade receptacles with open or rolled crimping claw**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With end stop for exact positioning of the contacts

General ordering data

| | |
|------------|--|
| Version | Pressing tool, Crimping tool for contacts, 0.5mm ² , 2.5mm ² , B-Crimp |
| Order No. | 9013400000 |
| Type | HTF 63 |
| GTIN (EAN) | 4008 190056995 |
| Qty. | 1 pc(s). |

Creation date December 23, 2022 11:23:40 AM CET

Catalogue status 16.12.2022 / We reserve the right to make technical changes.

HTF 63

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|---------|----------------|------------|
| Width | 200 mm | Width (inches) | 7.874 inch |
| Net weight | 438.2 g | | |

Technical data

| | | | |
|------------------------|---|---------|---|
| Description of article | Crimping tools for flat-blade connectors and flat-blade receptacles, connector width 6.3 mm | Version | Mechanical, without interchangeable inserts |
|------------------------|---|---------|---|

Description of contact

| | | | |
|-----------------------------------|---------------------|-----------------------------------|---------------------|
| Conductor cross-section, max. AWG | AWG 14 | Conductor cross-section, min. AWG | AWG 21 |
| Crimping range, max. | 2.5 mm ² | Crimping range, min. | 0.5 mm ² |
| Plug width | 6.3 mm | Type of contact | F-plug / -sleeve |

tool data crimping

| | | | |
|--------------------------|---------------------|--------------------------|---------------------|
| Crimping profile 1, max. | 1 mm ² | Crimping profile 1, min. | 0.5 mm ² |
| Crimping profile 2, max. | 2.5 mm ² | Crimping profile 2, min. | 1.5 mm ² |
| Crimping type/profile | B-Crimp | | |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC000168 | ETIM 7.0 | EC000168 |
| ETIM 8.0 | EC000168 | ECLASS 9.0 | 21-04-38-11 |
| ECLASS 9.1 | 21-04-38-11 | ECLASS 10.0 | 21-04-38-11 |
| ECLASS 11.0 | 21-04-38-11 | ECLASS 12.0 | 21-04-38-11 |

Environmental Product Compliance

| | |
|------------|--------------------------------------|
| REACH SVHC | Lead 7439-92-1 |
| SCIP | b28ab223-64ec-44cf-adb0-4dd6ebcae141 |

Approvals

Approvals



Downloads

| | |
|---|---|
| Approval/Certificate/Document of Conformity | Declaration of the Manufacturer |
| Catalogues | Catalogues in PDF-format |
| Brochures | |

HTF 63

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

