

LID 2,5M5 R**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Insulated circular plug made from PVC with copper sleeve**

- Commercially available designs
- Not soldered
- With conical entry funnel

General ordering data

| | |
|------------|--|
| Version | cable lug, terminal end, Insulated cable connector, 1.5 mm ² - 2.5 mm ² , blue |
| Order No. | 9200680000 |
| Type | LID 2,5M5 R |
| GTIN (EAN) | 40322484 1052 1 |
| Qty. | 100 pc(s). |

Creation date December 6, 2022 1:23:21 PM CET

Catalogue status 18.11.2022 / We reserve the right to make technical changes.

LID 2,5M5 R

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data
Dimensions and weights

| | | | |
|------------|---------|----------------|------------|
| Depth | 6.3 mm | Depth (inches) | 0.248 inch |
| Width | 20.8 mm | Width (inches) | 0.819 inch |
| Net weight | 0.9 g | | |

Technical data

| | |
|------------------------|--|
| Description of article | Circular plug with copper sleeve 1.5 - 2.5 mm ² |
|------------------------|--|

Connectors

| | | | |
|-------------------------------|---------------------|-------------------------------|---------------------|
| Conductor cross-section, max. | 2.5 mm ² | Conductor cross-section, min. | 1.5 mm ² |
| Dimension | ø 5 mm | Dimension (round plug) | ø 5 mm |
| Identification colour | blue | Insulation | Available |
| Material/plastic | PVC | Outside diameter (d) | 5 mm |
| Plastic collar diameter (D) | 5 mm | Plastic collar length (b) | 10 mm |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC001059 | ETIM 7.0 | EC001059 |
| ETIM 8.0 | EC001059 | ECLASS 9.0 | 27-40-02-12 |
| ECLASS 9.1 | 27-40-02-12 | ECLASS 10.0 | 27-40-02-12 |
| ECLASS 11.0 | 27-40-02-12 | ECLASS 12.0 | 27-40-02-12 |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|------------|--|
| Catalogues | Catalogues in PDF-format |
| Brochures | |

Data sheet

LID 2,5M5 R

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

