

3-1825136-5 ✓ ACTIVE

Alcoswitch | Alcoswitch Gemini A


TE Internal #: 3-1825136-5

Toggle Switches, Single Pole - Double Throw Configuration (Pole-Throw), Copper, Silver, Baton Long, On On, Alcoswitch Gemini A

[View on TE.com >](#)



Switches > Toggle Switches



Configuration (Pole-Throw): **Single Pole - Double Throw**

Contact Base Material: **Copper**

Switch Contact Plating Material: **Silver**

Process Sealed: **No**

Toggle Style: **Baton Long**

Features

Product Type Features

Sealed Device	Yes
Toggle Style	Baton Long
Switch Type	Toggle

Configuration Features

Configuration (Pole-Throw)	Single Pole - Double Throw
Operating Function	On On

Electrical Characteristics

Dielectric Withstanding Voltage (Max)	1000 VAC
Insulation Resistance	1000 MΩ
Contact Resistance	10 mΩ
Contact Current Rating	5 A
Operating Voltage	28 VDC

Body Features

Actuator Finish	Nickel
-----------------	--------



Product Orientation	Vertical Right Angle
---------------------	----------------------

Bushing Style	Unthreaded
---------------	------------

Contact Features

Contact Base Material	Copper
-----------------------	--------

Switch Contact Plating Material	Silver
---------------------------------	--------

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
---	-----------------------

Mechanical Attachment

Product Mount Type	Panel & Printed Circuit Board
--------------------	-------------------------------

Housing Features

Process Sealed	No
----------------	----

Dimensions

Toggle Length	12.19 mm [.48 in]
---------------	-------------------

	.28 in
--	--------

Industry Standards

UL Flammability Rating	UL 94V-1
------------------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
------------------------------	---------------------------

EU ELV Directive 2000/53/EC	Compliant with Exemptions
-----------------------------	---------------------------

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
---	--------------------------------------

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)
--	--

	Candidate List Declared Against: JUNE 2024 (241)
--	--

	SVHC > Threshold:
--	-------------------

	Pb (3.7% in Component Part)
--	-----------------------------

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Wave solder capable to 265°C
---------------------------	------------------------------

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | Alcoswitch Gemini A




Customers Also Bought




TE Part #5788796-1
D-Sub Receptacle Assembly: Right Angle, Shell Size 1, 2.74mm




TE Part #5-146280-6
06 MODII HDR SRST B/A .100CL



TE Part #280379-2
6P MODU II SHRD HDR, RT ANG, 0.38 AU



TE Part #280374-1
10P AMPMODU II SHRD HDR, ST, TIN



TE Part #280611-1
6P MOD 1 SHROUDED HEADER, ST, TIN PLTD



TE Part #282856-2
TERMI-BLOK PCB MOUNT 2P



TE Part #20018051-50
MS5849-30BA36 CL RESISTANT LS T&R



TE Part #5-2176347-5
CRGCQ 2010 330K 1%



TE Part #6-1437142-7
FSN-22A-6=NOMEX FS STD

Documents

Product Drawings

[A101SD9AV2Q04](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_3-1825136-5_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-1825136-5_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-1825136-5_A.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



[SWITCHES_CORE_PROGRAM_CATALOG](#)

English

[GEMINI_SERIES_SWITCHES_QUICK_REF_GUIDE_2-1773458-5](#)

English