

PRODUCT-DETAILS

# A86UF

## NON INSUL RING TERM 22-16 NO8 UF



Product image  
not available

### General Information

Extended Product Type	A86UF
Product ID	7TAI029620R0013
EAN	0786209984326
Catalog Description	NON INSUL RING TERM 22-16 NO8 UF
Long Description	Non-Insulated Ring Terminal with 45 Degree Bend, Length .75 Inches, Width .31 Inches, Bolt Hole #8, Wire Range #22-#16 AWG, Copper, Tin Plated, 1,000 Pack

### Ordering

EAN	0786209984326
UPC	786209984326
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

### Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	3 in 76 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth / Length	3 in 76 mm

Package Level 2 Units	10000 piece
Package Level 2 Width	3.62 in 92 mm
Package Level 2 Height	16.12 in 409 mm
Package Level 2 Depth / Length	6.5 in 165 mm

### Additional Information

Brand / Label	Sta-Kon
Effective Date	20110516
Material	Copper
Product Name	ELECTRICAL CONNECTOR,<1000V
Product Type	Non-Insulated Ring Terminal - 45 Degree Bend
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Wire Size	22-16 AWG

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	A86UF
Instructions and Manuals	A86UF

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors



Product image  
not available