




Switches > Slide Switches



Configuration (Pole-Throw): **Four Pole - Double Throw**

Product Orientation: **Vertical**

Contact Base Material: **Copper Alloy**

Number of Actuators: **Single**

Number of Positions: **4**

Features

Configuration Features

Configuration (Pole-Throw)	Four Pole - Double Throw
Number of Actuators	Single
Number of Positions	4
Operating Function	On On

Electrical Characteristics

Contact Current Rating	.3 A
Operating Voltage	28 VDC

Body Features

Actuator Orientation	Top
Product Orientation	Vertical
Actuator Profile	Extended
Actuator Material	Nylon
Actuator Color	White

Contact Features

Contact Base Material	Copper Alloy
Switch Contact Plating Material	Silver

Termination Features

Termination Post & Tail Length	4.06 mm[.16 in]
--------------------------------	-----------------

Termination Method to Printed Circuit Board

Through Hole - Solder

Dimensions

Actuator Length

2.79 mm[.11 in]

Product Width

7.37 mm[.29 in]

Product Length

17.78 mm[.7 in]

Operation/Application

Assembly Process Feature

Auto-Insert Packaging

Industry Standards

UL Flammability Rating

UL 94V-0

Packaging Features

Packaging Method

Tube

Other

Grade

Telecom

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU

Not Compliant

EU ELV Directive 2000/53/EC

Not Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
 Candidate List Declared Against: JAN 2022 (223)
 SVHC > Threshold:
 Pb (13% in Component Part)
Article Safe Usage Statements:
 Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability


Wave solder capable to 265°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1825010-1
ASE2204=DPDT AUTOSLIDE



TE Part # 1-1825010-3
ASE4204=4PDT AUTOSLIDE



TE Part # 3-1825010-7
ASE6204=6PDT AUTOSLIDE



TE Part # 1825010-2
ASE22G04=DPDT AUTOSLIDE




TE Part # 4-1825010-4
ASE62S04=6PDT AUTOSLIDE




TE Part # 7-1437581-2
ASF42L=4PDT AUTO-SLIDE W/L BEN

Also in the Series | Alcoswitch ASE/F



Slide Switches(46)

Customers Also Bought



TE Part #5-104363-8
09 MTE HDR SRST LATCH .100CL



TE Part #1-794615-8
PANEL MT DBL ROW HSG 18 POS



TE Part #4-794620-0
10P MICRO MNL ASSY,R/A,HDR,LF



TE Part #3-1676481-6
CPF 0603 160R 0.1% 25PPM 1K RL



Documents

Product Drawings

[ASE42=4PDT AUTO-SLIDE](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1-1437581-4_L.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1437581-4_L.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1437581-4_L.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.