



Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): 125 °C

Expanded Inside Diameter (Min): 23.5 mm [.925 in]

Recovered Inside Diameter (Max): 21.49 mm [.846 in]

Pre-Installed Lead: No

Wire Temperature (Max): 85 °C

Features

Configuration Features

| | |
|--------------------|----|
| Pre-Installed Lead | No |
|--------------------|----|

Dimensions

| | |
|---------------------------------|--------------------|
| Expanded Inside Diameter (Min) | 23.5 mm [.925 in] |
| Recovered Inside Diameter (Max) | 21.49 mm [.846 in] |

Usage Conditions

| | |
|-----------------------------|--------|
| Operating Temperature (Max) | 125 °C |
| Wire Temperature (Max) | 85 °C |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Not Compliant |
| EU ELV Directive 2000/53/EC | Not Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Cd (18% in Solder) Pb (32% in Solder) <small>Article Safe Usage Statements:</small> |



Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO

Customers Also Bought



TE Part #762261-000
D-SCE Fluid Resistant Sleeves



TE Part #3664884001
RNF-100-3/8-0-FSP




TE Part #D14525-000
HX-SCE Low Fire Hazard Sleeves




TE Part #270225-000
B-150-07




TE Part #599173-000
CWT-3802



TE Part #721133-000
TTMS-4.8-4



TE Part #1-1555130-1
HVTE-AED-302



TE Part #CC6393-000
HX-SCE-1K-19.0-50-S1-5

Documents

Product Drawings

[B-150-23](#)

English

Product Specifications

[Product Specification](#)

English