


[Home](#) > [Search Tools](#) > [Part Number](#)

Part Number Search

 You Searched For:


Note: Data provided here are offered in good faith and are as reliable and accurate as possible. However, they do not form part of any contract of supply or purchase unless specifically confirmed in writing by an authorized representative of ITT. All information and images shown are the property of ITT ICS and are not to be reproduced in any form without direct authorization from ITT ICS.

ITT ICS strongly recommends that you contact your local ITT Sales Office for confirmation of all the details you obtain through these Web pages. Please be aware that data may change at any time and without notice. For a listing of Sales Offices, local sales support, and authorized distributors please use the "Global Sales Locator" located either to the right of this data or at the top of every page.


[Sales Support](#)
[Product Overview](#)
[Stock Check](#)
[Product Home](#)

Our Catalog Part Number: BKAD216330001

Our Global Manufacturing Part Number: 067402-0017

	CONSULT FACTORY	RoHS compliant =	material restrictions of lead, cadmium, hexavalent chromium, mercury, poly bromated biphenyl ether (PBB) and poly bromide diphenyl ether (PBDE) according to directive 2002/95/EC
	CONSULT FACTORY	RoHS compatible =	Compatible with lead free soldering process

Export Compliance

	Country of Compliance	United States
	Export Compliance Notes	Classification "P" Pending factory review.

Product Datasheet	
Class	Non-environmental
Connector Layout	-163 = (A) Open, (B) 150, (C) 13W2
Connector Mounting Modifier	00 - Standard Design, .148 dia. Holes
Contact Finish	Gold over Nickel
Contact Material	Copper Alloy
Contact Style	Rear release crimp contacts
Insulator Material	Thermoset
Polarization Position	Per ARINC 600
Product Family	Rack and Panel
Product Group	BKA / SGA
Shell Size	Size 2
Contact Termination	Crimp
Modifier (Contact, Finish, Material)	Rear release, crimp, signal and power contacts supplied with connector (when applicable)
Polarizing Position	01 - thru 99 (per ARINC 600)
Shell & Waveguide Finish	Alodine 1200
Shell & Waveguide Material	Aluminum alloy
Shell Style	Plug