



Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): 200 °C

Expanded Inside Diameter (Min): 5.08 mm [.2 in]

Recovered Inside Diameter (Max): 1.27 mm [.05 in]

Pre-Installed Lead: **Yes**

Resistance Properties: **Immersion Protection**

Features

Configuration Features

Pre-Installed Lead	Yes
--------------------	-----

Dimensions

Expanded Inside Diameter (Min)	5.08 mm [.2 in]
Recovered Inside Diameter (Max)	1.27 mm [.05 in]

Usage Conditions

Operating Temperature (Max)	200 °C
Resistance Properties	Immersion Protection
Wire Temperature (Max)	150 °C

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC



Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO

Also in the Series | RAYCHEM S200



PCB Headers & Receptacles(2)



SolderSleeve Shield Terminators(11)

Customers Also Bought



TE Part #3693074002
RT555-1/2-0-SP




TE Part #ABC16H-7000
PLUG ASSY




TE Part #758571-000
55A6130-20-9/5-9CS636




TE Part #A81516F24-155P1
PLUG ASSY



TE Part #886943N001
207A412-13-0-CS5697



TE Part #CU0187-000
44A9064-24-0CS3327



TE Part #CJ7153-000
82A0811-6-9CS3193



TE Part #CA5943-000
HT-SCE-1K-3/4-2.0-6



TE Part #ZPF00000000017358
DTS 26 W 15-35 SD



TE Part #4554830001
TMS-SCE-1.5K-3/8-2.0-9

Documents

[Product Drawings](#)
[S200-3-W2-22-9-TC](#)

English

[Datasheets & Catalog Pages](#)
[Raychem S200 Shield Terminators](#)

English