



Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): 125 °C

Expanded Inside Diameter (Min): 13 mm [.512 in]

Recovered Inside Diameter (Max): 7.01 mm [.276 in]

Pre-Installed Lead: **Yes**

Resistance Properties: **Splash Protection**

Features

Product Type Features

Temperature Indicator	No
-----------------------	----

Configuration Features

Pre-Installed Lead Type	XL Polyethylene
Pre-Installed Lead	Yes

Body Features

Lead Color	Green
Lead Plating Material	Tin
Lead Stranding	Stranded

Dimensions

Pre-Installed Lead Wire Size	.38 mm ²
Shield Outside Diameter (Min)	8.9 mm[.35 in]
Compatible Jacket Diameter Range	13 mm[.51 in]
Product Length	45.5 mm[1.79 in]
Expanded Inside Diameter (Min)	13 mm[.512 in]
Recovered Inside Diameter (Max)	7.01 mm[.276 in]

Usage Conditions

Operating Temperature (Max)	125 °C
Resistance Properties	Splash Protection



Wire Temperature (Max)	85 °C
------------------------	-------

Industry Standards

MIL/NAS Specification (MIL-S-83519, NAS-1747)	No
Government Qualified	No

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Cd (18% in Solder) Pb (32% in Solder)

Article Safe Usage Statements:

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.


Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | [RAYCHEM CWT](#)



SolderSleeve Shield Terminators(25)

Customers Also Bought




TE Part #1027-017-1200
CLIP, STEEL, ZINC, 8.2MM HOLE, SIDE



TE Part #5-1478763-3
Metal backshell 25 way 45 Deg Entry-KIT



TE Part #680326-000
D-609-06




TE Part #323680
TERMINAL,SOLIS R HT 12-10 10




TE Part #806704-000
222A163-25-0



TE Part #1617086-6
3SBM1071A2 = M39016/31-003M




TE Part #1484948-1
AMPLIMITE,PLG ASY,37P,SZ4,SER109



TE Part #1484950-1
AMPLIMITE PLG ASY,25P,SZ3,SER109



TE Part #ZPF000000000007712
983-05E 22-55 SN-L



TE Part #1-1393310-9
26A1348B=TERMINAL,CRMP,QC.250,

Documents

Product Drawings

[CWT-13-W122-5](#)

English

Datasheets & Catalog Pages

[1654025_Sec8_B-155_CWT_D-110_D-1744](#)

English

[Raychem Electrical Interconnect Products](#)

English



Product Specifications

[SolderSleeve One-Step Wire and Cable Terminators Installation Procedures for CWT and B-155 Products](#)

English

Product Specification

English