

D-100-34 ✓ ACTIVE

RAYCHEM


TE Internal #: 624036-000

SolderSleeve Shield Terminators, 6.35 mm [.25 in] Expanded Inside, 1.77 mm [.069 in] Recovered Inside, Pre-Installed Lead, Splash Protection

[View on TE.com >](#)



Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): 150 °C

Expanded Inside Diameter (Min): 6.35 mm [.25 in]

Recovered Inside Diameter (Max): 1.77 mm [.069 in]

Pre-Installed Lead: **Yes**

Resistance Properties: **Splash Protection**

## Features

### Product Type Features

Interconnect Device Splice Type	SolderSleeve
---------------------------------	--------------

### Configuration Features

Pre-Installed Lead	Yes
--------------------	-----

### Body Features

Lead Color	White
------------	-------

### Dimensions

Expanded Inside Diameter (Min)	6.35 mm [.25 in]
Recovered Inside Diameter (Max)	1.77 mm [.069 in]
Wire Size	22 AWG

### Usage Conditions

Operating Temperature (Max)	150 °C
Resistance Properties	Splash Protection

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (37% in Solder) <b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Customers Also Bought

TE Part #878798-000  
202K232-25-0

TE Part #2170088-1  
ZSFP+ Connector,30u"

TE Part #YDTS26F13-35SNV001  
PLUG ASSY

TE Part #331003-005  
55A1111-22-9-9

TE Part #53422-1  
TERMINAL,PIDG PVF2 R 16-14 1/2

TE Part #YDTS26F13-04SNV001  
PLUG ASSY

TE Part #1410946-3  
MULTI-GIG SOC. CAP SCREW,  
CUSTOMIZED HDW

TE Part #2102772-1  
DC, 7Row, Half Left End, MULTIGIG  
RT 2R



TE Part #2302785-1  
RA PLUG ASSY,7ROW,CENTER,VPX,  
MG RT3



TE Part #674775-001  
200Z100-29-T

## Documents

### Product Drawings

[D-100-34](#)

English

### Datasheets & Catalog Pages

[Raychem Electrical Interconnect Products](#)

English

### Product Specifications

[Product Specification](#)

English