



Terminals & Splices > Splices



Wire Size: **304 – 810 CMA**

Sealable: **No**

Compatible Insulation Diameter Range: **.76 mm [.03 in]**

Features

Product Type Features

Sealable	No
----------	----

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Insulation Material	Heat Shrink Radiation-Crosslinked Modified Polyvinylidene Fluoride
Product Weight	1 g

Contact Features

Barrel Type	Closed
-------------	--------

Termination Features

Termination Method to Wire & Cable	Solder
------------------------------------	--------

Dimensions

Recovered Inside Diameter	.76 mm[.03 in]
Wire Size	304 – 810 CMA
Compatible Insulation Diameter Range	.76 mm[.03 in]
Product Length	8.26 mm[.325 in]

Usage Conditions

Fluid Resistance	Splash Protection
Insulation Option	Fully Insulated



Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Box

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (37% in Solder) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO

Customers Also Bought



TE Part #1658622-8
34 NOVO MIL/CTR 30DP, LEAD FREE



TE Part #2-6609129-6
5EFM4=F8110



TE Part #65053-208
ELEC MODULE



TE Part #ABC06N-12S-4048
IN-LINE PLUG



TE Part #CTN20D0002
ELEC MODULE



TE Part #YD369-MP33-AP10000
369 3 WAY SHIELDED PLUG, CRIMP,
PIN



TE Part #YD369-MP33-AS10000
369 3 WAY SHIELDED PLUG, CRIMP,
SKT



TE Part #YD369-MR33-AP10000
369 3 WAY SHIELDED REC, CRIMP, PIN



TE Part #YD369-MR99-AS10000
369 9 WAY SHIELDED REC, CRIMP,
SKT



TE Part #72508-15-18SN
HERM RECP

Documents

Product Drawings

D-136-07

English

Product Specifications

Product Specification

English