



Wire Protection & Management > Heat Shrink Shapes > Sealing Sleeves



Sealing Sleeve Product Type: **Heat Shrink Repair Sleeve**

Sleeve Inside Diameter: **2.29 mm [.09 in]**

Primary Product Color: **Green**

Product Length: **19.05 mm [.75 in]**

Features

Product Type Features

Sealing Sleeve Product Type	Heat Shrink Repair Sleeve
-----------------------------	---------------------------

Body Features

Primary Product Color	Green
-----------------------	-------

Dimensions

Adhesive Cut Length	21.59 mm[.85 in]
Adhesive Inside Diameter	1.11 mm[.044 in]
Wire Size	26 – 24 AWG
Sleeve Inside Diameter	2.29 mm[.09 in]
Product Length	19.05 mm[.75 in]

Usage Conditions

Operating Temperature Range	-65 – 150 °C
-----------------------------	--------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)



Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO


Customers Also Bought



TE Part #D369-R66-NP1
369 6 WAY REC, CRIMP, PIN



TE Part #024278-000
D-181-3222-90/9



TE Part #284303-000
B-020-22-N




TE Part #ZPF000000000000617
025-0792-03




TE Part #EF7428-000
D-260-C-A




TE Part #YDTS26W15-35SCV001
PLUG ASSY




TE Part #A21376-000
22759/43-4-9CS2873



TE Part #ZPF000000000000239
006-0908-16 A499



TE Part #ZPF000000000000247
006-0908-20 A499



TE Part #ER6755-000
SFR-3/4-0-SP-CS9376

Documents

Product Drawings

D-150-C-11

English

Datasheets & Catalog Pages

1654025_Sec8_D-150_D-500_DK-621

English

[Harness Repair Products Quick Reference Guide](#)

English

Product Specifications

[Side Entry Insulation Damage Repair Sleeve \(SEIDRS\)](#)

English

[Installation Procedure for Series D-150-C-1X. Side Entry Insulation Damage Repair Sleeve \(SEIDRS\)](#)

English