



# DV2 SERIES CONNECTORS

1.905mm (.075") Contact Spacing, EMI Shielded Connector for DVI

## ORDERING INFORMATION


	<u>DV2</u>	<u>*</u>	<u>***</u>	<u>***</u>	<u>E</u>
Series	_____	_____	_____	_____	_____
Contact Type	_____				
P	- Plug				
R	- Receptacle				
No. of Contacts	_____				
024	- 24 signal contacts				
029	- 24 signal, 5 coaxial				
Mounting Method	_____				
NKA	- Right angle, screwlock, soldered terminal length 3.33mm, ground plate				
NKB	- Right angle, without screwlock, soldered terminal length 3.33mm, ground plate				
N11	- Right angle, screwlock, solder terminal length 2.34mm				
N12	- Right angle, without screwlock				
N13	- Right angle, screwlock, solder terminal length 3.33mm				
U11	- Straight receptacle, screwlock, mounting height 4.98mm				
U12	- Straight receptacle, screwlock, mounting height 10.5mm				
U13	- Straight receptacle, screwlock, mounting height 11.5mm				
U16	- Straight receptacle, without screwlock, mounting height 11.5mm				
M11	- Cable plug				
Lead Free Version	_____				

• Please consult JAE for verification of product availability.


Dimensions in mm (inches).

# DV2 SERIES CONNECTORS


1.905mm (.075") Contact Spacing, EMI Shielded Connector for DVI



DV2P029M11  
(DVI-I Plug)




DV2R024N1\*  
(DVI-D Right Angle Receptacle)



DV2P024M11  
(DVI-D Plug)



DV2R029U1\*  
(DVI-I Straight Receptacle)



DV2R029N1\*  
(DVI-I Right Angle Receptacle)



DV2R024U1\*  
(DVI-D Straight Receptacle)



DV2\*\*R\*\*\*NK\*  
DVI-D, DVI-I  
Right Angle Receptacle with  
Ground Plate Structure



DV2S\*\*\*\*\*  
DVI-D  
Single Link Harness  
on both sides

• Please consult JAE for verification of product availability.  
Dimensions and specifications subject to change without notice.