


LTR	REVISION	DATE	APPD
B	013120-G201: CHG. OVERALL DIMENSION TO .63MAX/.56MIN AND UPDATED DIMENSIONS	02-21-20	GP



ACTUAL SIZE



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. SLEEVE MATERIAL: RYNITE FR530
3. BASE MATERIAL: NICKEL PLATED BRASS
4. OPERATING TEMPERATURE: ~ -30°C TO ~ +50°C

**FULL BEAM WIDTH AT 50% INTENSITY

REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER _____
REDLINE CHECKLIST	
<input type="checkbox"/>	REDLINE(YES)
<input type="checkbox"/>	DATE: _____
<input type="checkbox"/>	INITIATED BY: _____
<input type="checkbox"/>	ECR REQUIRED YES <input type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/>	WORK ORDER# _____

ELECTRICAL-OPTICAL CHARACTERISTICS (Ta = 25°C)

F206-0AG-028V	-	AQUA GREEN	28Vdc	0.28 W	0.010 A	1.200cd	528nm	160°
F206-0PB-028V	-	SUPER BLUE	28Vdc	0.36 W	0.013 A	0.150cd	470nm	160°
F206-0UG-028V	-	SUPER LIME GREEN	28Vdc	0.39 W	0.014 A	0.180cd	572nm	160°
F206-0UR-028V	-	ULTRA RED	28Vdc	0.42 W	0.015 A	0.210cd	663nm	160°
F206-0UY-028V	-	ULTRA YELLOW	28Vdc	0.39 W	0.014 A	0.225cd	593nm	160°
F206CG6-0002	F206CG6-28V/20-P	HI-EFF GREEN	28Vdc	0.36 W	0.013 A	0.075cd	565nm	160°
F206CLW7-0004	F206CLW7-28V/20-P	ULTRA LIME WHITE	28Vdc	0.36 W	0.013 A	0.125cd	592/565nm	160°
F206CLY6-0008	F206CLY6-28V/20-P	LIME YELLOW	28Vdc	0.39 W	0.014 A	-	570nm	160°
F206CO6-0003	F206CO6-28V/20-P	ORANGE	28Vdc	0.39 W	0.014 A	0.030cd	608nm	160°
F206CPG6-0012	F206CPG6-28V/20-P	PURE GREEN	28Vdc	0.36 W	0.013 A	-	557nm	160°
F206CR6-0027	F206CR6-28V/20-P	HI-EFF RED	28Vdc	0.39 W	0.014 A	0.045cd	633nm	160°
F206CR7-0007	F206CR7-28V/20-P	ULTRA RED	28Vdc	0.34 W	0.012 A	0.125cd	657nm	160°
F206CW6-0001	F206CW6-28V/20-P	PALE YELLOW-WHITE	28Vdc	0.36 W	0.013 A	0.075cd	631/565nm	160°
F206CY6-0002	F206CY6-28V/20-P	YELLOW	28Vdc	0.39 W	0.014 A	0.030cd	585nm	160°
LEDTRONICS PART NO.	DESCRIPTION PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	POWER (W)	CURRENT (A)	MAXIMUM CANDELA	λP nm	VIEWING ANGLE**

LED[®]
LEDTRONICS,™ INC.
 23105 KASHIWA COURT
 TORRANCE, CA 90505

-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS,™ INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS,™ INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE							
F206CXXX-00XX (F206CXXX-28V/20-P)							
DWG NO		SCALE		SHEET		DATE	
F206-28V-P		2:1		1 OF 1		10-05-10	
CODE IDENT NO.	DWG BY GP	CHK BY	QA SB	MFG LD	R&D UF		
8Z410	10-05-10		03-03-20	03-03-20	03-03-20		