


LTR	REVISION	DATE	APPD
-	RELEASED	01-27-15	



ACTUAL SIZE



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. SLEEVE MATERIAL: DELRIN
3. BASE MATERIAL: NICKEL PLATED BRASS (BODY BASE) BAKELITE (INSULATOR)
4. OPERATING TEMPERATURE: ~-30°C TO ~+50°C

REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

ELECTRICAL-OPTICAL CHARACTERISTICS (Ta = 25°C)

FF120-0AG-005N	AQUA GREEN	5Vdc	0.075 W	0.013-0.017 A	0.200cd	520	105°
FF120-0UG-005N	SUPER GREEN	5Vdc	0.100 W	0.021-0.025 A	0.036cd	573	110°
FF120-0UR-005N	SUPER RED	5Vdc	0.100 W	0.018-0.022 A	0.100cd	633	120°
FF120-0UY-005N	SUPER YELLOW	5Vdc	0.100 W	0.018-0.022 A	0.032cd	594	120°
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	POWER (W)	CURRENT (A)	MAXIMUM CANDELA	λ_P nm	VIEWING ANGLE (FULL BEAM WIDTH @ 50% INTENSITY)
						COLOR TEMP. (K)	

LED[®]
LEDTRONICS, INC.[™]
 23105 KASHIWA COURT
 TORRANCE, CA 90505

-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE FF120-0XX-005N							
DWG NO FF120-5V-N		SCALE 2:1		SHEET 1 OF 1		DATE 01-27-15	
CODE IDENT NO. 8Z410	DWG BY GP 01-27-15	CHK BY PL 01-27-15	QA	MFG	R&D LUV 01-27-15		