



HLX-NEL

TE Internal #: CC0112-000

Low Fire Hazard, -40 – 105 °C [-40 – 221 °F], White, HLX-NEL,

Printable Tags

[View on TE.com >](#)

Identification & Labeling > Printable Tags > HLX-NEL Low Fire Hazard Markers



Printable Tag Grade: **Low Fire Hazard**

Operating Temperature Range: **-40 – 105 °C [-40 – 221 °F]**

Primary Product Color: **White**

[All HLX-NEL Low Fire Hazard Markers \(2\)](#)

Features

Product Type Features

Printable Tag Grade	Low Fire Hazard
---------------------	-----------------

Body Features

Primary Product Color	White
-----------------------	-------

Mechanical Attachment

Number of Tie-Wrap Holes	4
--------------------------	---

Dimensions

Product Length	80 mm[3.15 in]
----------------	----------------

Product Height	12.5 mm[.49 in]
----------------	-----------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Printer/Label Features

Printer Technology	Thermal Transfer
--------------------	------------------

Packaging Features

Packaging Quantity	200
--------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | [HLX-NEL](#)



Printable Tags(2)

Customers Also Bought



TE Part #5226990-6
PCB-BNC RT ANGLE JACK W/O POST



TE Part #052468-000
Medium-Wall Heat Shrink Tubing




TE Part #33461
TERMINAL,SOLIS R 8 1/4



TE Part #710030-3
XCT 16-6



TE Part #142241-1
250 FASTON,TAB,BR



TE Part #7699133001
FLT0111-1.00-6

Documents

Product Drawings

[HLX125WE4NEL60S](#)

English

Datasheets & Catalog Pages

[IDENTIFICATION SELECTION GUIDE](#)

English

[Continuous Narrow Edge Leading HLX Cable Markers](#)

English

Product Specifications

[Specification for HLX LFH Cable Marker](#)

English

[CABLE MARKER INSTALLATION GUIDE](#)

English