

TS-121-RT61 ✓ ACTIVE

KISSLING | KISSLING Series TS

TE Internal #: K1161484

Double Pole - Double Throw Configuration (Pole-Throw), General Purpose Push Button Switch, Single Actuator, KISSLING Series TS, Push Button Switches

[View on TE.com >](#)



Switches > Push Button Switches > Push Button Switch, Socket, 1 Actuator, Flush Profile



Configuration (Pole-Throw): **Double Pole - Double Throw**

Push Button Switch Product Type: **General Purpose Push Button Switch**

Number of Actuators: **Single**

Actuator Profile: **Flush**

Bushing Style: **Threaded**

[All Push Button Switch, Socket, 1 Actuator, Flush Profile \(7\)](#)

Features

Product Type Features

Push Button Switch Product Type	General Purpose Push Button Switch
Illuminated	Without
Actuator Style	Round

Configuration Features

Configuration (Pole-Throw)	Double Pole - Double Throw
Number of Actuators	Single
Snap Action	Without
Support Bracket	Without
Switch Feedback Type	Tactile
Operating Function	Momentary

Electrical Characteristics

Contact Current Rating	5 A
------------------------	-----



Operating Voltage Range	9 – 32 VDC
-------------------------	------------

Body Features

Actuator Force	4079 g[144 oz]
Actuator Profile	Flush
Bushing Style	Threaded
Actuator Color	Red

Contact Features

Switch Contact Plating Material	Silver Alloy
---------------------------------	--------------

Mechanical Attachment

Product Mount Type	Panel
--------------------	-------

Housing Features

Process Sealed	Yes
----------------	-----

Packaging Features

Packaging Method	Bulk
------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


EU RoHS Directive 2011/65/EU	Not Yet Reviewed
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the

product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




TE Part # CAT-AL8-KSEESS
Emergency Stop Switch, 1 Actuator, Flush, Threaded Bushing



TE Part # CAT-AL8-STPBSC
Push Button Switch, Center Thread, 1 Actuator, Flush Profile



TE Part # K1008489
Emergency Power Switch Type 24-34-02



TE Part # K1003101
Emergency Power Switch Type 24-34-02 902



TE Part # K1132069
Circuit Breaker Switch 0,7A 24-35-00-400



TE Part # K1143513
Limit switch G12-111-S-30



TE Part # K1137773
Limit switch G12-131-E-900



TE Part # K1156373
Limit switch G12-131-S-10 925



TE Part # K1164668
Limit switch G12-141-E-912 with Bund



TE Part # K1138370
Limit switch G12-211-M-15 904



TE Part # K1142028
Limit switch G12-211-S-15 909



TE Part # K1163464
Limit Switch G12-211-S-30 932



TE Part # K1140735
Limit switch G12-212-D



TE Part # K1145366
Limit switch G12-221-S-015




TE Part # K1134548
Limit switch G12-231-E-906




TE Part # K1143488
Limit switch G12-231-S-10 910



Also in the Series | KISSLING Series TS



Customers Also Bought



Documents

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_TS-121-RT61_1.2d_dxf.zip](#)

English



Customer View Model

[ENG_CVM_CVM_TS-121-RT61_1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_TS-121-RT61_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[KISSLING PUSH BUTTON SWITCH Series TS](#)

English