

## Eaton Series C electronic molded case circuit breaker

**CHLD3600T107W**

**UPC:786679054901**

### **Dimensions:**

- **Height:** 8.25 IN
- **Length:** 8.25 IN
- **Width:** 8.25 IN

**Weight:**23 LB

### **Warranties:**

- Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

### **Specifications:**

- **Type:** Complete breaker
- **Amperage Rating:** 600A
- **Interrupt Rating:** 65 kAIC at 480 Vac
- **Number Of Poles:** Three-pole
- **Voltage Rating:** 600 Vac, 250 Vdc
- **Trip Type:** Electronic LSIA
- **Circuit Breaker Type:** CHLD
- **Frame Size:** L-frame
- **Rating:** 100% rated
- **Series:** Series C
- **Terminals:** Without terminals
- **Frequency Rating:** 50-60 Hz

### **Supporting documents:**

- [Application of Tap Rules to Molded Case Breaker Terminals](#)
- [UL listed 100%-rated molded case circuit breakers](#)
- [Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)
- [Current limiting Series C molded case circuit](#)

- breakers product aid
- Power metering and monitoring with Modbus RTU product aid
- Plug-in adapters for molded case circuit breakers product aid
- Multi-wire lugs product aid
- Motor protection circuit breakers product aid
- Circuit breaker motor operators product aid
- MOEM MCCB Product Selection Guide
- StrandAble terminals product aid
- Molded case circuit breakers
- Eatons Volume 4-Circuit Protection
- LD-frame Molded Case Circuit Breaker Drawing
- Shunt Trip for Series C L-Frame - IL
- Series C L-Frame with Digitrip OPTIM Trip Unit - IL
- Breaker service centers
- Eaton Specification Sheet - CHLD3600T107W
- Series C G-Frame molded case circuit breakers time current curves
- Series C F-Frame molded case circuit breakers
- Series C J-Frame molded case circuit breakers time current curves
- MOEM MCCB product selection guide
- Series C L-Frame 125-600A, 240-600V Time Current Curves

**Certifications:**

- UL Listed

**Product compliance:** No Data