




Actual Size



LTR	REVISION	DATE	APPD
-	RELEASED	02-26-97	PL
A	RVSD PER ECR 100998-JH01	10-09-98	JH
B	RVSD PER ECR 121101-JB03	01-07-02	JB
C	RVSD PER ECR 041702-RM03	04-17-02	RM
D	RVSD PER ECR 010703-WB02	01-07-03	WB



UNCUT VERSION

CUT VERSION (-140)

LEDTRONICS PART NO.	L.E.D. RADIATION COLOR	ELECTRO-OPTICAL CHARACTERISTICS (Ta=25°C)				
		If=mA typ/max	Iv mcd min/typ	Vf=V typ/max	Ir max µA	λP nm
PCT200TR5A	HI-EFF RED	20/30	12/38	2.0/2.6	100	635
PCT200T05A	ORANGE	20/30	23/39	2.0/2.6	100	610
PCT200TY5A	YELLOW	20/30	8/25	2.1/2.6	100	585
PCT200TG5A	HI-EFF GREEN	20/30	8/25	2.2/2.6	100	565
PCT200TR5B	HI-EFF RED	20/30	12/38	2.0/2.6	100	635
PCT200TY5B	YELLOW	20/30	8/25	2.1/2.6	100	585
PCT200TG5B	HI-EFF GREEN	20/30	8/25	2.2/2.6	100	565
PCT200TR5A-140	HI-EFF RED	20/30	36/60	2.2/2.6	100	635
PCT200TY5A-140	YELLOW	20/30	21/135	2.1/2.6	100	585
PCT200TG5A-140	HI-EFF GREEN	20/30	40/68	2.2/2.6	100	568
PCT200T05A-140	ORANGE	20/30	23/39	2.0/2.6	100	610
PCT200TG4-140	GREEN	15/25	.8/5.0	2.1/2.8	100	565
PCT200TUB500-140	ULTRA BLUE	15/25	50	3.8/5.0	100	430

**LED**<sup>®</sup>  
LEDTRONICS,™ INC.  
23105 KASHIWA COURT  
TORRANCE, CA 90505

**-PROPRIETARY-**  
This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.xxx ± .010 TOLERANCE PER ANSI-Y14.5  
.xx ± .025 (UNLESS OTHERWISE STATED)  
ANGLES ± 0°,30'  
FRACT. ± 1/32

TITLE		PCT200TX5A, 5B		UNCUT LEADS CUT LEADS TO .140	
DWG NO	SCALE	SHEET	DATE		
SDPC0066	2:1	1 OF 1	02-26-97		
CODE IDENT NO.	DWG BY	CHK BY	QA	MFG	CUSTOMER
8Z410	SMA		JCH 01-09-03	SB 01-09-03	