



LTR	REVISION	DATE	APPD
B	050418-GP01: UPDATED DWG./TEST DATA	05-08-18	GP



TOP VIEW



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. ALL PARTS WITH (*) ARE "RoHS" CERTIFIED.
3. MOUNTING DIAMETER: Ø1/2" (12.7mm)
4. LENS MATERIAL: POLYCARBONATE (PC) (UL 94V-2)
5. SLEEVE MATERIAL / COLOR: NYLON 66 (UL94V-1 MIN / UL94V-0 PREF) / BLACK
6. HEADER MATERIAL / COLOR: NYLON 66 (UL94V-1 MIN / UL94V-0 PREF) / BLACK

REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER
REDLINE CHECKLIST	
<input type="checkbox"/>	REDLINE(YES)
<input type="checkbox"/>	DATE: _____
<input type="checkbox"/>	INITIATED BY: _____
<input type="checkbox"/>	ECR REQUIRED YES <input type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/>	WORK ORDER# _____



ELECTRICAL-OPTICAL CHARACTERISTICS (Ta = 25°C)

PF50-0AG-120A-W6 *	AQUA GREEN	120Vac	0.006-0.008 A	2.500cd	520	180°
PF50-0CW-120A-W6 *	COOL WHITE	120Vac	0.006-0.008 A	1.500cd	8000K	180°
PF50-0PB-120A-W6	SUPER BLUE	120Vac	0.006-0.008 A	-	463	180°
PF50-0UR-120A-W6 *	ULTRA RED	120Vac	0.006-0.008 A	0.450cd	652	180°
PF50-0UY-120A-W6 *	SUPER YELLOW	120Vac	0.006-0.008 A	0.900cd	595	180°
PF50CG5-120VAC-W6*	HI-EFF GREEN	120Vac	0.006-0.008 A	0.087cd	563	180°
PF50CG6-120VAC-W6*	HI-EFF GREEN	120Vac	0.006-0.008 A	-	567	180°
PF50CO5-120VAC-W6	SUPER ORANGE	120Vac	0.006-0.008 A	-	610	180°
PF50CR5-120VAC-W6*	HI-EFF RED	120Vac	0.006-0.008 A	0.070cd	635	180°
PF50CR6-120VAC-W6*	ULTRA RED	120Vac	0.006-0.008 A	0.135cd	654	180°
PF50CY5-120VAC-W6	YELLOW	120Vac	0.006-0.008 A	-	582	180°
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	CURRENT (A)	MAXIMUM CANDELA	λP nm COLOR TEMP. (K)	VIEWING ANGLE (FULL BEAM WIDTH @ 50% INTENSITY)

LED[®]
LEDTRONICS,™ INC.
 23105 KASHIWA COURT
 TORRANCE, CA 90505

-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS,™ INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS,™ INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE							
PF50-0XX-120A-W6 PF50CXX-120VAC-W6							
DWG NO		SCALE		SHEET		DATE	
PF50-120VAC-W6		1:1		1 OF 1		06-21-07	
CODE IDENT NO.	DWG BY GP	CHK BY	QA EE	MFG LD	R&D LUV		
8Z410	06-21-07		05-09-18	05-09-18	05-09-18		