

PRODUCT-DETAILS

# RSK201

## ONE-PIECE GROUND CONN 2.29-3.65MM



### General Information

Extended Product Type	RSK201
Product ID	7TCI029060R0027
EAN	5414363077558
Catalog Description	ONE-PIECE GROUND CONN 2.29-3.65MM
Long Description	One-Piece Grounding Connector, Shield Diameter Range 2.29mm-3.65mm, Color Blue, Copper, Tin Plated, Polyester Insulation

### Ordering

EAN	5414363077558
UPC	786210872346
Country of Origin	Hungary (HU)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

### Container Information

Package Level 1 Units	1000 piece
Package Level 2 Units	17000 piece
Package Level 2 Width	4 in 102 mm
Package Level 2 Height	2 in 51 mm
Package Level 2 Depth /	11 in

Length	279 mm
--------	--------

### Additional Information

Brand / Label	Sta-Kon
Color	Blue
Effective Date	19750925
Material	Copper
Product Name	ONE PIECE CONNECTOR
Product Type	One-Piece Grounding Connector
RoHS Date	9AKK107992A4000
Special Functions	One-piece design connector for solderless, wrap-around crimping. Open shape to allow mid-span connections. Quick and easy to install: no heat or power required, no damage to the inner conductor. Transparent Polyester insulation for easy inspection. MIL specified (exceeds the performance requirements of MIL-F-21608) and industry approved technology, ideal for production in aircraft, aerospace and electronic industries where size and weight are of importance.
Sub Brand / Label	Shield-Kon
Surface Finishing	Tin Plated

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RSK201
Instructions and Manuals	RSK201
REACH Declaration	9AKK107992A8993
RoHS Information	9AKK107992A4000

### Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
ETIM 8	EC002650 - Connection for screened wires
UNSPSC	39121413
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4568 >> Circular connectors

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

