


LTR	REVISION	DATE	APPD
-	RELEASED	10-26-09	



NOTES:

1. SLEEVE MATERIAL: RYNITE FR530
2. BASE MATERIAL: BRASS
NICKEL PLATED BRASS

REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input type="checkbox"/>	UL
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

SLF464-2IW-120A	WARM WHITE	120VAC	8	0.96W	1760	AC VOLTAGE	68-70	3000K	120°
SLF464-XIW-120A	WARM WHITE	120VAC	8	0.96W	1760	AC VOLTAGE	68-70	3000K	120°
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE	INPUT CURRENT (mA)	ENERGY USED (WATTS)	lv, mcd (typ)	CENTER CONTACT POLARITY	CRI	COLOR TEMP. (Kelvin)	FULL VIEWING ANGLE
ELECTRICAL TEST									

 23105 KASHIWA COURT TORRANCE, CA 90505	<p align="center">-PROPRIETARY-</p> This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.		<p align="center">TITLE</p> <h2 align="center">SLF464-XIW-120A</h2>							
	.XXX ± .010 TOLERANCE PER ANSI-Y14.5 .XX ± .025 (UNLESS OTHERWISE STATED) ANGLES ± 0°,30' FRACT. ± 1/32		DWG NO SLF464-120VAC		SCALE 1:1		SHEET 1 OF 1		DATE 10-26-09	
	CODE IDENT NO. 8Z410		DWG BY GP 10-26-09		CHK BY PL 10-26-09		QA		MFG R&D	