



Wire Protection & Management > Heat Shrink Shapes > Cable Transitions & Breakouts



Number of Branches & Legs: 3

Material Code: 3

Adhesive Requirement: **Adhesive Precoat**

Operating Temperature Range: -55 – 90 °C [-67 – 194 °F]

Adhesive Code: 97

## Features

### Configuration Features

Number of Branches & Legs	3
Adhesive Requirement	Adhesive Precoat

### Body Features

Primary Product Material	Modified Polyolefin
Material Code	3

### Dimensions

Inside Diameter Range (Leg 2)	12.7 – 30.48 mm [.5 – 1.25 in]
Inside Diameter Range (Leg 3)	12.7 – 30.48 mm [.5 – 1.25 in]
Inside Diameter Range (Body)	35.56 – 60.96 mm [1.4 – 2.4 in]
Inside Diameter Range (Leg 1)	12.7 – 30.48 mm [.5 – 1.25 in]

### Usage Conditions

Operating Temperature Range	-55 – 90 °C [-67 – 194 °F]
-----------------------------	----------------------------

### Other

Size Code	150-300
Adhesive Code	97

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Customers Also Bought

TE Part #1-1625984-2  
HSA50 16R 5%

TE Part #1-1469492-3  
MULTIGIG RT 9MM GUIDE/ESD 90 DEG

TE Part #650533-001  
SSB-2002FR


TE Part #1-1469492-1  
MULTIGIG RT 9MM GUIDE/ESD 0 DEG

TE Part #1-1469492-7  
MULTIGIG RT 9MM GUIDE/ESD 270 DEG

TE Part #35773  
TERMINAL,SOLIS R 12-10 5/16

TE Part #2-1618278-8  
KC-16=RELAY, PRESSURIZED, SPDT

TE Part #NB10602001  
ATUM-3/1-0-STK



## Documents

### Product Drawings

[T150-300FR](#)

English

---

### Datasheets & Catalog Pages

[Raychem Molded Parts Visual Guide](#)

English

---

### Product Specifications

[Product Specification](#)

English

[Raychem S1297 and /97 Hot Melt Adhesive](#)

English