




Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Caps



Wall Type: **Single Wall**

Operating Temperature Range: -55 – 135 °C [-67 – 275 °F]

Features

Product Type Features

Wall Type	Single Wall
-----------	-------------

Body Features

Shrink Ratio	2.5:1
Primary Product Material	Crosslinked Polyolefin
Flexibility	Semi-Rigid
Primary Product Color	Red

Dimensions

Recovered Wall Thickness (Nominal)	.64 mm[.025 in]
Recovered Inside Diameter (Max)	1.3 mm[.051 in]
Expanded Inside Diameter (Min)	3.2 mm[.126 in]
Compatible Cable Diameter Range	3.2 mm[.125 in]
Wall Thickness	Thin
Product Length	25.4 mm[1 in]

Usage Conditions

Flammability Requirement	Flame-Retardant
Fluid Resistance Type	Aviation Fuel, Chemicals/Solvents, Hydraulic Fluid
Resistance Properties	Splash Protection
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]

Operation/Application

--	--



Mechanical Resistance	Abrasion, Strain Relief, Vibration
-----------------------	------------------------------------

Industry Standards

UL Rating	Recognized
-----------	------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
-----------------	--

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # 1-2376800-3
RBK-X1C, W/ AIR COOLING



TE Part # 1-2376800-4
RBK-X1C CE, W/ AIR COOLING



TE Part # 2234800-1
RBK-X1 STD



TE Part # 2234800-2
RBK-X1 CE STD



TE Part # 2326489-1
MODEL 105 TUNNEL OVEN, 36" ENTRY, STAND A



TE Part # 2375310-1
XB17 Belt Heater, 220V



TE Part # 2375310-2
XB17 Belt Heater, 110V



TE Part # 2375320-1
XB19 Belt Heater, STD



TE Part # 2375320-2
XB19 Belt Heater, 150mm (6") Version



TE Part # 2376800-1
RBK-X1C STD



TE Part # 2376800-2
RBK-X1C CE STD




TE Part # 2394980-1
MOD 105 TUN OVEN, 69" ENTRY, STARDARD



TE Part # 955018-000
CLTEQ-M105-TUNNEL-OVEN




TE Part # 714529-000
CLTEQ-M19-BELT-HTR



TE Part # 1-528018-1
IR-1891 SHUTTLE RETURN

Also in the Series | RAYCHEM TC Caps



Heat Shrink Caps(3)


Customers Also Bought




TE Part #205089-2
PIN CONTACT, SZ 20, AMPLIMITE



TE Part #1SNA115260R0300
M6/8.1



TE Part #1SNA232047R2200
RC65 61->70 (X10) VERTICAL



TE Part #D18609-000
B-155-07-F

TE Part #1SNA115417R0500
MB6/8.L6

TE Part #360901N002
D-659-0033-003CS013

TE Part #1477610001
TMS-SCE-1-1/2-2.0-0

TE Part #2-1532026-8
095-9285-1064=MCDM1-B-15PX-12

TE Part #518287-000
MTCC1R-COAX-01P-01

TE Part #2003084-F
SQ273-H005DF8P; Press; 0.5inch H2O;
20mV

Documents

Product Drawings

[TC-CAPS-4003-2](#)

English

Datasheets & Catalog Pages

[TC Caps Pages from 9-1773447-9](#)

English

Product Specifications

[Quality Specification](#)

English