

PRODUCT-DETAILS

TVF18-250FD-XV

FULLY INSUL VINYL FEMALE DISCONNECT



General Information

Extended Product Type	TVF18-250FD-XV
Product ID	7TAI029350R0431
EAN	5414363489344
Catalog Description	FULLY INSUL VINYL FEMALE DISCONNECT
Long Description	Fully Insulated Vinyl Female - 250 Series Disconnects for Wire Range 22-16, Red, Canister

Ordering

EAN	5414363489344
UPC	728494144719
Country of Origin	Taiwan, Province Of China (TW)
Customs Tariff Number	8536908585
Selling Unit of Measure	each

Container Information

Package Level 1 Units	75 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	4 in 102 mm
Package Level 1 Depth / Length	6 in 152 mm

Package Level 2 Units	900 piece
Package Level 2 Width	9.5 in 241 mm
Package Level 2 Height	6.31 in 160 mm
Package Level 2 Depth / Length	21.44 in 545 mm

Additional Information

Brand / Label	Sta-Kon
Color	Red
Effective Date	20090414
Insulation Material	Vinyl
Material	Brass with Copper Sleeve
Product Name	"electrical con, splice, disconnect"
Product Type	Vinyl Fully Insulated Female Disconnect
Special Functions	Fully Insulated. Metal Insulation Sleeve. Molded Insulator. Internal Barrel Serrations. Funnel Entry.
Standards	UL E66716
Sub Brand / Label	Catamount
Voltage Rating	300 V
Wire Size	22-16 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TVF18-250FD-XV
Instructions and Manuals	TVF18-250FD-XV

Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
ETIM 8	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

