





8 7 6 5 4 3 2 1

REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	



MATERIAL:
 CAGE: COPPER ALLOY.
PLATING:
 PLATING OPTION 2: 2.54 μm [100 μ"] NICKEL PLATING.
 PLATING OPTION 3: 2.54 - 7.62 μm [100 - 300 μ"]
 MATTE TIN PLATING OVER 1.27 μm [50 μ"] NICKEL.
PACKAGING: TRAY PACKAGING.
 TEMPERATURE RANGE: -40°C TO 85°C.

AMPHENOL PART NUMBER CONFIGURATION

U77-A1639-X001

CAGE PLATING:
 2 = NICKEL
 3 = MATTE TIN

PACKAGING:
 1 = TRAY PACKAGING



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.	
DECIMALS X.X ± 0.15 X.XX ± 0.10		ANGLES ± 0.5°		DRAWN: H.SONG DESIGNED:		TITLE	
MATERIAL AND FINISH		CHECKED: J.SI		AUG26/09		1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
REF.		E APPD:		SCALE: 3:1		SIZE: A3	
CODE IDENT NO: 03554		DWG APPD:		PROJECT		DWG. NO: P-U77-A1639-X001	
						REV: A	
						SHEET 1 OF 3	

8 7 6 5 4 3 2 1

REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	



RECOMMENDED BEZEL DESIGN






UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.	
DECIMALS X.X ± 0.15 X.XX ± 0.10		ANGLES ± 0.5°		DRAWN H.SONG	AUG26/09	TITLE	
MATERIAL AND FINISH		CHECKED J.SI		AUG27/09		1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
REF.		E APPD		SCALE		SIZE A3	DWG. NO. P-U77-A1639-X001
CODE IDENT. NO. 03554		DWG APPD		PROJECT		REV. A	SHEET 2 OF 3

DO NOT SCALE DRAWING
THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

NOTES:
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES PLATING OPTIONAL.
 4. SEE DRAWING P-U76-A20-X00XX FOR CONNECTOR LAYOUT.

HOLE SIZES
 ⌀ 1.55
 ⌀ 1.05
 ● ⌀ 0.95
 ● ⌀ 0.85

REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	



DO NOT SCALE DRAWING
 THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS: X.X ± 0.15 X.XX ± 0.10 ANGLES: ± 0.5°	APPROVALS	DATE	Amphenol Canada Corp.	
	DRAWN: H.SONG	AUG26/09	TITLE	
	DESIGNED:		1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
	CHECKED: J.SI	AUG27/09		
MATERIAL AND FINISH	QA APPD:			
REF:	E APPD:	SIZE: A3	DWG. NO.: P-U77-A1639-X001	REV: A
CODE IDENT NO.: 03554	DWG APPD:	SCALE: 3:1	PROJECT:	SHEET: 3 OF 3