



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: UL620-15

Waber-by-Tripp Lite Power Strip - Multiple outlet strip with relocatable power tap



Highlights

- 6 outlets accept NEMA5-15P or 5-20P input plugs
- 15 ft. cord
- 12.5" length
- 20-amp circuit breaker
- Lighted master switch
- All metal housing

Description

The Waber-by-Tripp Lite UL620-15 Power Strip offers a convenient method of power distribution in workbench, wallmount or floor mount applications. Includes 6 NEMA 5-15R/20R output receptacles with 1.625 inch center-to-center spacing, 15 foot AC line cord and keyhole mounting tabs for installation in a wide variety of applications. Corded, multi-outlet strip reduces cabling clutter and enables the connection of multiple electrical devices to a single AC wall socket. Unfiltered electrical pass-through makes UL620-15 ideal for distributing alternate waveform UPS or generator power. Features rugged all-metal housing, lighted power switch with transparent guard to prevent accidental shutoff, 20 amp resettable circuit breaker and attractive blue/gray color scheme. Lifetime warranty.

PLUG/OUTLETS - Input: NEMA 5-20P/Output: 6 NEMA 5-15R/20R

ELECTRICAL - 120V AC, 50/60Hz, 20A (Requires standard NEMA 5-20R wall receptacle)

FORMAT - Corded power distribution strip

Applications

- Offers multiple outlet power distribution in workbench, wallmount or floor mount applications. Unfiltered electrical pass-through makes UL620-15 ideal for distributing alternate waveform UPS or generator power to protected equipment.

Package Includes

- UL620-15 Power Strip
- Warranty information
- Instruction manual

Features

- Multi-outlet power strip offers convenient power distribution in workbench, wallmount or floor mount applications
- Includes 6 NEMA 5-15R/20R output receptacles with 1.625 inch center-to-center outlet spacing
- Lighted power switch with transparent snap-over guard to prevent accidental shutoff
- Keyhole mounting tabs support permanent installation on a wide variety of surfaces
- Right angle outlet orientation better accommodates large transformer plugs
- UL1363 (USA), cUL (Canada)
- 20 amp power handling capacity with circuit breaker

- 15 foot AC line cord
- Lifetime warranty

Specifications

| SYSTEM OVERVIEW | |
|----------------------------------|--|
| Voltage compatibility | 120VAC |
| OUTPUT | |
| Frequency compatibility | 50 / 60 Hz |
| Output volt amp capacity (amps) | 20A |
| Outlet quantity / type | 6 Nema 5-15/20R |
| Outlet spacing | 1.625 in. |
| Outlet orientation | Single row of 6 |
| INPUT | |
| Recommended Electrical Service | 20A 120V |
| Input connection type | Nema 5-20P |
| Input cord length (ft.) | 15 |
| Input cord length (m) | 4.572 |
| Input cord gauge, type | 12 gauge, SJT |
| LEDS ALARMS & SWITCHES | |
| Switches | Lighted 2 position switch controls power to all outlets |
| Locking switch cover | Transparent on/off switch cover prevents accidental turn-off |
| PHYSICAL | |
| Unit Dimensions (HWD/in) | 12.5 x 2.5 x 1.5 |
| Unit Dimensions (HWD/cm) | 31.75 x 6.35 x 3.8 |
| Material of construction | Metal |
| Integrated keyhole mounting tabs | Keyhole mounting tabs enable mounting to a variety of surfaces |
| Receptacle Color | Black |
| AC line cord color | Black |
| CERTIFICATIONS | |
| UL1363 (Power Tap) | UL1363 |
| cUL / CSA (Canada) | cUL |
| WARRANTY | |
| Standard warranty period | Lifetime |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=1959.

© 2009 Tripp Lite. All Rights Reserved.