

# V4-3.5-0-SP-SM ✓ ACTIVE

RAYCHEM | RAYCHEM Versafit V4

TE Internal #: 457079J001

Black, 2:1, Single Wall Tubing, Shrinks To .069 in [1.75 mm],  
Irradiated Modified Polyolefin, .15 in [3.8 mm] Inner Diameter,  
RAYCHEM Versafit V4

[View on TE.com >](#)



Heat Shrink Tubing > Versafit-V4 Heat Shrink Tubing



Primary Product Color: **Black**

Wall Type: **Single Wall**

Expanded Inside Diameter (Min): **3.8 mm [ .15 in ]**

Recovered Inside Diameter (Max): **1.75 mm [ .069 in ]**

Shrink Ratio: **2:1**

[All Versafit-V4 Heat Shrink Tubing \(16\)](#)

## Features

### Product Type Features

Wall Type	Single Wall
-----------	-------------

### Electrical Characteristics

Operating Voltage (Max)	.3 kV
-------------------------	-------

### Body Features

Primary Product Color	Black
Shrink Ratio	2:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Very Flexible

### Dimensions

Recovered Wall Thickness (Tolerance)	.25 mm[.01 in]
Expanded Inside Diameter (Min)	3.8 mm[.15 in]
Recovered Inside Diameter (Max)	1.75 mm[.069 in]

### Usage Conditions

Shrink Temperature (Min)	70 °C
Tubing Flammability Type	Highly Flame-Retardant
Operating Temperature Range	-30 – 125 °C



Recovery Temperature 90 °C

**Operation/Application**

Mechanical Resistance Strain Relief, Wrinkling

**Product Availability**

Applicable Region Global

**Packaging Features**

Packaging Method Spool

**Other**

Meets Low Outgassing Requirements No

Product Source China

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU Compliant

EU ELV Directive 2000/53/EC Compliant

China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006  
 Current ECHA Candidate List: JUNE 2024 (241)  
 Candidate List Declared Against: JUNE 2024 (241)  
 Does not contain REACH SVHC

Halogen Content Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability Not applicable for solder process capability

**Product Compliance Disclaimer**


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

**Compatible Parts**



TE Part # EG1114-000  
CV1981-ST-230V1600W-EU

### Also in the Series | RAYCHEM Versafit V4



Heat Shrink Tubing(20)

### Customers Also Bought



TE Part #ZPF00000000104657  
DMC-MD 24 A-K-T



TE Part #3793914001  
MT3000-3/32-0-SP



TE Part #2185243-1  
ASSY, SEATING TOOL



TE Part #224514-E  
MSPEED 50 F SMD F8 \* AB VV 137 094  
\*\* E



TE Part #ZPF00000000206696  
DMC-LP 44 M-R 22 Q-K6-05 A




TE Part #ZPF00000000206695  
DMC-LP 44 M-R 22-22 K1-03 A



TE Part #ZPF00000000206685  
DMC-LP 84 M-R 22-22-16 K4-02 A



TE Part #ZPF00000000206683  
DMC-LP 84 M-R 22-22-22 K2-05 A



TE Part #K1041920  
Contact Pin D 1,57 L=23 Cri 08-80-446



## Documents

### Product Drawings

[V4-3.5-0-SP-SM](#)

English

---

### Datasheets & Catalog Pages

[Measuring\\_Single\\_Wall\\_Tubing](#)

English

[Selecting\\_Correct\\_Tubing\\_1216](#)

English

[Very-Thin-Wall, Highly Flame-Retardant, Metric-Sized Heat-Shrinkable Tubing](#)

English

[Versafit v4 Tubing](#)

English

---

### Product Specifications

[Application Specification](#)

English