



Terminals & Splices > Splices



Wire Size: .6 – 1.4 mm<sup>2</sup>

Sealable: **Yes**

Splice Features: **Splice Kit**

Barrel Inside Diameter: 1.7 mm [.067 in]

## Features

### Product Type Features

Splice Accessory Type	Splice
Sealable	Yes
Wire Insulation Support Retention Type	Non-Insulation Support

### Configuration Features

Number of Serrations	0
Compatible With Wire & Cable Type	Discrete Wire

### Body Features

Insulation Material	Polyvinylidene
Splice Features	Splice Kit

### Contact Features

Contact Base Material	Copper Alloy
Barrel Type	Closed

### Dimensions

Wire Size	1180 – 2770 CMA
Barrel Inside Diameter	1.7 mm [.067 in]
Product Length	29.3 mm [1.15 in]

### Usage Conditions

Insulation Option	Fully Insulated
-------------------	-----------------



Operating Temperature Range -55 – 150 °C[-67 – 302 °F]

### Industry Standards

Government Qualified Splice No

### Packaging Features

Packaging Method Bag/Box

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU Compliant

EU ELV Directive 2000/53/EC Compliant

China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006  
Current ECHA Candidate List: JUNE 2024 (241)  
Candidate List Declared Against: JUNE 2024 (241)  
Does not contain REACH SVHC

Halogen Content Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

Solder Process Capability Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # EG8162-000  
HL1920E-230V-EURO

## Customers Also Bought



TE Part #66100-9  
III+ SKT,18-16,30AU/FL,STRIP



TE Part #5053332035  
RNF-100-2 Heat Shrink Tubing




TE Part #1-1703543-0  
2POS,TAB 2.8X0.8,TAB HSG,ASSY




TE Part #A83925-000  
CM-SCE-TP-1/2-6H-9



TE Part #5054062011  
RNF-100-1/8-1-STK



TE Part #5054572008  
RNF-100-1-5-STK



TE Part #2-929940-1  
JPT REC 2.8 Contact SWS Au (LP)

## Documents

### Product Drawings

[W-095-02](#)

English

### Product Specifications

[In - Line Sealed Crimp Splice, Assembly Procedure W-095 and W-096 Series](#)

English