

XVBZ03A

Harmony XVB, Fixing base for modular tower lights, plastic, Ø70, 380mm aluminium support tube + black fixing plate



Main

Range of product	Harmony XVB
Accessory / separate part designation	Fixing base
Accessory / separate part category	Mounting and fixing accessories
Accessory / separate part destination	Beacons and indicator banks Ø 70 mm

Complementary

Accessory / separate part type	Fixing base
Product compatibility	XVBC. XVBL.
Kit composition	Ø 25 mm aluminium support tube Black plastic fixing plate
Height under base unit	380 mm
Colour	Aluminium
Net weight	0.2 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	7.0 cm
Package 1 Length	42.5 cm
Package 1 Weight	178.0 g
Unit Type of Package 2	S04
Number of Units in Package 2	50
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	9.71 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

RoHS exemption information

 Yes

Environmental Disclosure


 [Product Environmental Profile](#)

Contractual warranty

Warranty

18 months

Dimensions and Mounting



Height under base unit	
b in mm	b in in.
380	14.96

Panel Cut-Out

