



**Kemtron | Kemtron 95 Series**

TE Internal #: 2423828-1

Knitted Wire EMI Gasket, Rectangular, 3.2 mm [.126 in] Thick, .25 m [.82 ft] Length, 9.5 mm [.374 in] Width, Stainless Steel Wire, Kemtron 95 Series

[View on TE.com >](#)



Gasket Type: **Knitted Wire EMI Gasket**

Gasket Shape: **Rectangular**

Product Thickness: **3.2 mm [.126 in]**

Product Length: **.25 m [.82 ft]**

Product Width: **9.5 mm [.374 in]**

[All Wire Mesh Knitted Conductive Gaskets \(108\)](#)

**Features**

**Product Type Features**

Gasket Wire Material Type	Stainless Steel
---------------------------	-----------------

**Electrical Characteristics**

Resistance to Petroleum	No
-------------------------	----

**Body Features**

Gasket Core Material	Silicone Sponge
----------------------	-----------------

Gasket Type	Knitted Wire EMI Gasket
-------------	-------------------------

Gasket Shape	Rectangular
--------------	-------------

**Dimensions**

Product Thickness	3.2 mm [.126 in]
-------------------	------------------

Product Length	.25 m [.82 ft]
----------------	----------------

Product Width	9.5 mm [.374 in]
---------------	------------------

**Usage Conditions**

Operating Temperature Range	-50 – 200 °C [-58 – 392 °F]
-----------------------------	-----------------------------

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



## Also in the Series | Kemtron 95 Series





## Documents

### Product Drawings

[Rect Sil Sponge Core SS 3.2x9.5 L0.25m](#)

English

---

### Datasheets & Catalog Pages

[Connector Gaskets for RFI/EMI Shielding](#)

English

---

### Product Specifications

[Application Specification](#)

English