



Kemtron | Kemtron 98 Series

TE Internal #: 2430188-1

EMI O-Ring, Nickel Plated Graphite (Ni/C) Filler, 1.8 mm [.071 in]

Thick, Resistance to Petroleum, .05 Ω/cm Volume Resistivity,

Kemtron 98 Series

[View on TE.com >](#)



Gasket Type: **EMI O-Ring**

Filler Material: **Nickel Plated Graphite (Ni/C)**

Product Thickness: **1.8 mm [.071 in]**

Operating Temperature Range: **-55 – 160 °C [-67 – 320 °F]**

Resistance to Petroleum: **Yes**

[All Jam Nut Seals for RFI/EMI Shielding \(88\)](#)

Features

Product Type Features

Filler Material	Nickel Plated Graphite (Ni/C)
-----------------	-------------------------------

Electrical Characteristics

Resistance to Petroleum	Yes
Volume Resistivity (Max)	.05 Ω/cm

Body Features

Gasket Type	EMI O-Ring
-------------	------------

Dimensions

Product Thickness	1.8 mm [.071 in]
Inside Diameter	14 mm [.551 in]

Usage Conditions

Operating Temperature Range	-55 – 160 °C [-67 – 320 °F]
-----------------------------	-----------------------------

Operation/Application

Compatible With Connector Shell Size	6
--------------------------------------	---



Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: DCP (.33% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # CAT-EMIG-0010 Jam Nut Seals for RFI/EMI Shielding</p>	 <p>TE Part # 2488746-1 O-Ring SNA 38999 Shell 6 1pk</p>	 <p>TE Part # 2488757-1 O-Ring FNA 38999 Shell 6 1pk</p>	 <p>TE Part # 2488724-1 O-Ring SNA 38999 Shell 6 10pk</p>
--	---	---	--



Also in the Series | [Kemtron 98 Series](#)



Customers Also Bought



Documents

Product Drawings

[O-Ring FNG 38999 Shell 6, 1pk](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2430188-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2430188-1_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2430188-1_A.2d_dxf.zip](#)

English

[3D PDF](#)



3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Jam Nut Seals for RFI/EMI

English

Product Specifications

Application Specification

English