



Kemtron | Kemtron 1201 Series

TE Internal #: 2452652-1

Moulded EMI Gasket, Conductive Sheet, Silicone Binding, Nickel Plated Aluminum (Ni/Al) Filler, Rectangular, Kemtron 1201 Series

[View on TE.com >](#)

EMI & EMC Solutions > EMI Shielding > Conductive Elastomers



Gasket Type: **Moulded EMI Gasket**

Finished Type: **Conductive Sheet**

Binding Material: **Silicone**

Filler Material: **Nickel Plated Aluminum (Ni/Al)**

Gasket Shape: **Rectangular**

Features

Product Type Features

Finished Type	Conductive Sheet
Binding Material	Silicone
Filler Material	Nickel Plated Aluminum (Ni/Al)
Closing Force	159.3 N/cm ²

Electrical Characteristics

Resistance to Petroleum	No
Volume Resistivity (Max)	.1 Ω/cm

Body Features

Gasket Type	Moulded EMI Gasket
Gasket Shape	Rectangular

Dimensions

Product Thickness	1.6 mm[.062 in]
Product Width	300 mm[11.81 in]

Usage Conditions



Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: DCP (.19% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Also in the Series | [Kemtron 1201 Series](#)



Customers Also Bought



Documents

Product Drawings

[SNA Sheet 300mm sq x 1.6mm](#)

English

Product Specifications

[Application Specification](#)

English