5-284871-2 ✔ ACTIVE


MQS




TE Internal #: 5-284871-2

Cavity Mask, 2.1 mm [.082 in] Cavity Diameter, -40 – 125 °C [-40 – 257 °F], Gray, Polyamide 6.6 GF

View on TE.com >

Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cavity Mask**

Cavity Diameter: **2.1 mm [.082 in]**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

Primary Product Color: **Gray**

Primary Product Material: **Polyamide 6.6 GF**

Features

Product Type Features

Connector Seal & Plug Type	Cavity Mask

Configuration Features

Number of Positions	94

Body Features

Primary Product Color	Gray
Primary Product Material	Polyamide 6.6 GF

Housing Features

Centerline (Pitch)	2.5 mm[.098 in]

Dimensions

Wire Size	18 – 15 AWG
Cavity Diameter	2.1 mm[.082 in]

Usage Conditions

Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Packaging Features

Packaging Quantity	800

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1394872-1
SEALING PLUG 1,5MM




TE Part # 284743-2
94POS MIXED MQS REC SEALED




TE Part # 284743-1
94POS MIXED MQS REC SEALED

Customers Also Bought



TE Part #284802-2
6POS MQS REC COD B



TE Part #1718879-2
RETAINER, 5-6POS. HSG.



TE Part #2394400-1
SDE F AMP MCP 2.8K 0.50-1.00mm2 ASSY

TE Part #2474450-5
SWS,HVA 280,CABLE SEAL

TE Part #570055-000
BL-POLY125-16-0-90MM


TE Part #576108-000
BL-POLY125-16-0-60MM



TE Part #2334023-6
24POS,AMP MCP 1.5K,REC HSG ASSY, SLD



TE Part #2334024-3
24POS,1.5X0.64,TAB HSG ASSY,SLD, COD NEUT



TE Part #2474444-1
HSG. ASSY 66P TAB HIBRYD



TE Part #2819613-1
6 WAYS CONNECTOR - POWER WINDO

Documents

Product Drawings

MULTIPLE CAVITY MASK FOR 94 POS. CONN.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-284871-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-284871-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-284871-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

MULTIPLE CAVITY PLUG FOR 60 AND 94 POSITIONS CONNECTOR

English

Product Specification

English