



**WSD 2.5/D-/+ WTR2.5**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

**Product image**

The component plug is used to integrate an electrical component in a disconnect terminal block. After soldering the electronic component, the plug can be integrated into the disconnection area of our disconnect terminal blocks and thus changes the disconnect terminal block into a modular terminal block with integrated electronic component.

**General ordering data**

Version	Component plug (terminal), Plug-in connection, Plugged, dark beige
Order No.	<a href="#">1058560000</a>
Type	WSD 2.5/D-/+ WTR2.5
GTIN (EAN)	4008 19008737 1
Qty.	25 items

**WSD 2.5/D-/+ WTR2.5**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Technical data**

**Approvals**

ROHS Conform

**Dimensions and weights**

Depth	29.58 mm	Depth (inches)	1.1646 inch
Height	38.4 mm	Height (inches)	1.5118 inch
Width	5 mm	Width (inches)	0.1968 inch
Net weight	3.43 g		

**Temperatures**

Storage temperature	-25 °C...55 °C	Ambient temperature	-5 °C...40 °C
Continuous operating temp., min.	-50 °C	Continuous operating temp., max.	120 °C

**Environmental Product Compliance**

RoHS Compliance Status	Compliant with exemption		
RoHS Exemption (if applicable/known)	7a		
REACH SVHC	Lead 7439-92-1		
SCIP	c6099607-b1cd-4fc8-8f5b-8c2defa73093		

**Material data**

Basic material	Wemid	Colour	dark beige
UL 94 flammability rating	V-0		

**System specifications**

Version	Diode module	End cover plate required	No
Number of levels	1	PE connection	No

**Additional technical data**

Type of fixing	Plugged	Explosion-tested version	No
Type of mounting	Plugged		

**Conductors for clamping (rated connection)**

Connection direction	top	Type of connection	Plug-in connection
----------------------	-----	--------------------	--------------------

**Classifications**

ETIM 6.0	EC002018	ETIM 7.0	EC002018
ETIM 8.0	EC002018	ETIM 9.0	EC002018
ETIM 10.0	EC002018	ECLASS 9.0	27-14-11-49
ECLASS 9.1	27-14-11-49	ECLASS 10.0	27-14-11-49
ECLASS 11.0	27-14-11-49	ECLASS 12.0	27-14-11-49
ECLASS 13.0	27-25-03-05	ECLASS 14.0	27-25-03-05
ECLASS 15.0	27-25-03-05		

**Drawings**




## WSD 2.5/D-/ + WTR2.5

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

### Marker holder



The marker holder offer the possibility of additional mounting of standard markers with a pitch of 5 or 5.1 mm. The angled holders can be optionally snapped together and could be mounted in all standard marking channels of the Klippon® Connect modular terminal blocks. Fitting marker types could be found under the respective accessories of the designation marking holder.

### General ordering data

Type	BZT 1 WS 10/5	Version
Order No.	<a href="#">1805490000</a>	Accessories, Marker holder
GTIN (EAN)	4032248270231	
Qty.	100 ST	
Type	BZT 1 ZA WS 10/5	Version
Order No.	<a href="#">1805520000</a>	Accessories, Marker holder
GTIN (EAN)	4032248270248	
Qty.	100 ST	