

# ADF04STTR04 ✓ ACTIVE

Alcoswitch | Alcoswitch DIP ADF, Alcoswitch DIP


TE Internal #: 1-1825059-8

DIP Switch, Gold Flash Contact Plating, Black, Polyphenylene Sulfide (PPS), Sealed, 4 Switch, -30 – 85 °C, Alcoswitch DIP

[View on TE.com >](#)



Switches > DIP & SIP Switches



DIP & SIP Switch Type: **DIP**

Switch Contact Plating Material: **Gold Flash**

Case Color: **Black**

Case Material: **Polyphenylene Sulfide (PPS)**

Sealed Device: **Yes**

## Features

### Operation/Application

Assembly Process Feature	Auto-Insert Packaging
--------------------------	-----------------------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Dimensions

Product Length	12.14 mm[.478 in]
----------------	-------------------

Product Height	3.5 mm[.138 in]
----------------	-----------------

### Packaging Features

Packaging Method	Tape & Reel
------------------	-------------

Packaging Quantity	750
--------------------	-----

### Configuration Features

Number of Positions	4
---------------------	---

Number of Switches	4
--------------------	---

Configuration (Pole-Throw)	Single Pole - Single Throw
----------------------------	----------------------------

### Body Features

Sealing Method	Sealing Tape
Actuator Color	White
Case Color	Black
Case Material	Polyphenylene Sulfide (PPS)

### Contact Features

Contact Underplating Material	Nickel
	1.2 µin
PCB Contact Termination Area Plating Material	Gold Flash
Switch Contact Plating Material	Gold Flash
Contact Base Material	Copper Alloy

### Product Type Features

Leg Style	Gull Wing
DIP & SIP Switch Type	DIP
Sealed Device	Yes
Actuator Style	Flush Actuator, Slide Actuator

### Usage Conditions

Operating Temperature Range	-30 – 85 °C
-----------------------------	-------------

### Electrical Characteristics

Contact Current Rating	1 A
Operating Voltage	5 VDC

### Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

### Housing Features

Centerline (Pitch)	2.54 mm[.1 in]
--------------------	----------------

### Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

### Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 3-1825059-5  
ADF07ST04=DIP SWT,FLUSH,SMT-GW



TE Part # 1-1825002-4  
ADF08T04=DIP SWT,FLUSH,THRU/HL



TE Part # 5-1825059-3  
ADF10ST04=DIP SWT,FLUSH,SMT-GW



TE Part # 1825059-1  
ADF02S04=DIP SWT,FLUSH,SMT-GW



TE Part # 1825059-3  
ADF02SAT04=DIP SW,FLUSH,SMT-JL



TE Part # 1-1825059-2  
ADF03STTR04=DIP S,FLUSH,SMT-GW




TE Part # 2-1825059-9  
ADF06ST04=DIP SWT,FLUSH,SMT-GW




TE Part # 5-1825059-4  
ADF10STTR04=DIP S,FLUSH,SMT-GW



Also in the Series | [Alcoswitch DIP ADF](#)



Also in the Series | [Alcoswitch DIP](#)



DIP & SIP Switches(160)




Rotary Switches(16)

## Customers Also Bought



TE Part #254539-E  
SMCQ 40 M AB VV 8-03 CL \* H007 137 E005



TE Part #2314820-4  
4P,2MM,BB,REC,DRVT,2,7,0.1AU,TUBE



TE Part #2-1355154-1  
MQS STIFTWANNE 18P



TE Part #2-1415899-3  
RZ03-1C4-D024



TE Part #8-2176087-1  
RP 1J 0.166W 475R 0.1% 25PPM 1K RL




TE Part #2823124-4  
4P,2MM,BRK HDR,DRVT,2,8,0.76AU,TB



TE Part #1-640251-2  
12P SL156 HSG W/O LCK RAMP



TE Part #2-1393219-2  
PE514024



TE Part #6-2176571-1  
RLC73K 2A R28 1% 1K RL



TE Part #GA10K3A11D  
DISCRETE 10K OHMS, +/-1.0C FROM 0C TO 70C

## Documents

### Product Drawings

[ADF04STTR04=DIP S,FLUSH,SMT-GW](#)

English

### CAD Files

[3D PDF](#)

[3D](#)

### Customer View Model

[ENG\\_CVM\\_CVM\\_1-1825059-8\\_B.2d\\_dxf.zip](#)



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-1825059-8\\_B.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-1825059-8\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[SWITCHES\\_CORE\\_PROGRAM\\_CATALOG](#)

English

[ADE\\_ADP\\_ADF\\_Datasheet](#)

English